

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 30/06/2026 10:16 PM from [REDACTED]

Application Summary

Address:	Nuralite Industrial Estate Canal Road Higham Rochester Kent ME3 7JA
Proposal:	Application for approval of condition 2, 5, 8, 9, 11 and 12 attached to planning permission reference number 20250721 relating to full details of the road improvements works at the Canal Road / Chequers Street / Church Street /Lower Rochester Road junction (2), full details of the phasing of the development (5), a comprehensive Demolition and Construction Logistics Plan covering all environmental impacts (8), a full Construction Traffic Management Plan (9), an updated preliminary ecological appraisal and review and of the site wide mitigation strategy (11) and a strategy to deal with the potential risks associated with any contamination of the site or the relevant phase (12).
Case Officer:	Mr Richard Hart

[Click for further information](#)

Customer Details

Name:	[REDACTED]
Email:	[REDACTED]
Address:	[REDACTED] Gore Green Road Rochester

Comments Details

Commenter Type:	Member of the Public
Stance:	Customer objects to the Planning Application
Reasons for comment:	
Comments:	This will cause huge disruption for no benefit to the village. The site should be left alone until the tunnel is built and the area from Gravesend to Higham developed in around 20 years. Then government can override triple SI, as they will do, and can transport the contamination out via barge. This project can wait. Currently all it does is make one man rich and a whole community suffer. This surely cannot be correct.

Kind regards