

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 06/12/2025 1:15 PM from [REDACTED]

Application Summary

| | |
|---------------|--|
| Address: | Land At Wrotham Road Meopham Gravesend Kent DA13 0AA |
| Proposal: | Outline application for the erection of up to 350 residential dwellings , public open space and associated works. Approval is sought for the principal means of vehicular access from Wrotham Road and all other matters are reserved. |
| Case Officer: | Mrs Katherine Parkin |

[Click for further information](#)

Customer Details

| | |
|----------|------------------------------|
| Name: | [REDACTED] |
| Email: | [REDACTED] |
| Address: | [REDACTED] Meopham Gravesend |

Comments Details

| | |
|-----------------|--|
| Commenter Type: | Member of the Public |
| Stance: | Customer objects to the Planning Application |

Reasons for comment:

| | |
|-----------|--|
| Comments: | <p>This development is far too big. The increase in traffic would create massive problems in a place which is already far too busy. Cars trying to access the parade of shops already often tail back onto the A227. Cars trying to turn out from there frequently have to nudge out onto the main road which is an accident waiting to happen. How much worse would this be with hundreds more cars around. The A227 is always packed with parked cars at school picking up time which causes problems getting through and this would also be far worse. The site is good quality farmland which we need. Meopham Medical Centre is massively overstretched now so there is no way it could cope with hundreds more patients. A new surgery would have to be part of the plans.</p> |
|-----------|--|

Kind regards