


COMMERCIAL OFFER

W1



View from the outside

W1 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. **2 fitch fasteners, 2 sash lifts, pulleys, metal weights incl.; horns on top sash TBC; decor as per drawing but without duplex inside glazing unit .**
8. 84 kg.
9. $U_w \leq 1.29$.


1314x2060mm

2.52m²

Quantity

1

W8



View from the outside

W8 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 51 kg.
10. $U_w \leq 1.32$.


1080x1590mm

1.72m²

Quantity

1

W9



View from the outside

W9 (1pcs)


1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 41 kg.
10. $U_w \leq 1.34$.

1060x1230mm

1.30m²

Quantity
1

D1



View from the inside

D1 (1pcs)


1. Type: Casement Flush 2 inward opening door
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass: Sandwich 24mm, $U_g=1.1$
5. Locking: IPA
6. **IPA hinges, 3 point multi lock, euro type greenteQ handle , white (RAL9016) door handle.**
7. 40 kg.
8. $U_w \leq 1.22$.

880x2090mm

1.84m²

Quantity
1

W6




View from the outside

W6 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Ventilation: TRIMVENT 90 TITON white
7. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
8. 36 kg.
9. $U_w \leq 1.36$.

1080x1040mm


1.12m²Quantity
1**W10 -11**

View from the outside

W10 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, Ug=1.1) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, Ug=1.3) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC; 140 mm cill extension .**
9. 46 kg.
10. $U_w \leq 1.34$.

1230x1230mm

1.51m²Quantity
2**W4**

View from the outside


W4 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, Ug=1.1) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, Ug=1.3) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 69 kg.
10. $U_w \leq 1.29$.

1160x2150mm

2.49m²Quantity
1

W5



View from the outside

W5 (1pcs)


1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
#1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
#2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 70 kg.
10. $U_w \leq 1.29$.

1180x2150mm

2.54m²

Quantity
1

W7



View from the outside

W7 (1pcs)


1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
#1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
#2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 46 kg.
10. $U_w \leq 1.33$.

1080x1400mm

1.51m²

Quantity
1

W2




W2 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 58 kg.
10. $U_w \leq 1.30$.

		Quantity
1180x1700mm	2.01m ²	1

W3




W3 (1pcs)

1. Type: Sash Box 1.1 window, 70mm horns on top sash
2. Wood: Finger-jointed pine
3. Painting (factory finished micro-porous): White paint RAL 9016
4. Glass:
 - #1: 4-16Ar-4GNP (Energy saving glass unit, $U_g=1.1$) TGI (Warm edge) white
 - #2: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, $U_g=1.3$) TGI (Warm edge) white
5. Locking: Pickard Leads (Polished Brass)
6. Decorative transoms: 25mm astragal bars with frame inside glass unit
7. Ventilation: TRIMVENT 90 TITON white
8. **2 fitch fasteners, 2 sash lifts, 1 trickle vent, pulleys, metal weights incl.; horns on top sash TBC .**
9. 57 kg.
10. $U_w \leq 1.31$.

		Quantity
1160x1700mm	1.97m ²	1

D2



View from the outside
D2 (1pcs)

- 1. Type: Casement Flush 2 window
- 2. Wood: Finger-jointed pine
- 3. Painting (factory finished micro-porous): White paint RAL 9016
- 4. Glass: 4GR-16Ar-4GrGNP (Energy saving glass unit with two toughened glass panes, Ug=1.3) TGI (Warm edge) white Stabilized plywood filling, Ug=0.6
- 5. Locking: IPA
- 6. **IPA hinges, 3 point multi lock, euro type greenteQ handle , white (RAL9016) door handle.**
- 7. 76 kg.
- 8. $U_w \leq 1.12$.

1080x2800mm	2.90m ²	Quantity	1
Average U-value of all windows: 1.28		Quantity:	13

TOTAL QUOTE SUPPLY ONLY : £ 19000.00
All prices excl. VAT

Payment therms and conditions : 50% deposit prior order , 50% before delivery on site when product ready to be shipped