
















Technical drawing of a door with a height dimension of 2750. The door features a six-panel design: two small square panels at the top, two tall rectangular panels in the middle, and two tall rectangular panels at the bottom. A small circular handle is located on the left side of the door. The drawing includes a vertical dimension line on the left indicating the height of 2750. The door is shown within a frame, with a threshold at the bottom.

[illegible]

WALL TYPES	
	Existing Walls
	External Cavity Wall 250mm Elements: 100mm Brick Work 2 x 12.5mm Cavity 30mm Insulation 85mm Block Work 15 mm Plasterboard
	Party Wall 275mm Elements: 2.5mm Approved Wall Finish 2 x 12.5mm Plaster board 60mm Cavity 100mm Metal Stud 60mm Cavity 2 x 12.5mm Plaster board 2.5mm Approved Wall Finish
	Party Wall 250mm Elements: 2.5mm Approved Wall Finish 2 x 12.5mm Plaster board 60mm Cavity 75mm Metal Stud 60mm Cavity 2 x 12.5mm Plaster board 2.5mm Approved Wall Finish
	Party Wall 185mm Elements: 2.5mm Approved Wall Finish 2 x 12.5mm Plaster board 30mm Cavity 70mm Metal Stud 30mm Cavity 2 x 12.5mm Plaster board 2.5mm Approved Wall Finish
	Party Wall 135mm Elements: 2.5mm Approved Wall Finish 2 x 12.5mm Plaster board 80mm Metal Stud 2 x 12.5mm Plaster board 2.5mm Approved Wall Finish
	Internal Wall 100mm Elements: 2.5mm Approved Wall Finish 12.5mm Plaster board 70mm Metal Stud 12.5mm Plaster board 2.5mm Approved Wall Finish
WALL FINISHES	
	Element: Walls, Ceilings, MDF painted skirtings with shadow gap in skirting Type: Exposed white plaster finish (light colour) Suggested supplier: Dulux Colour/Specification: TBC (Eggshell for joinery)
	Elements: Walls, MDF painted skirtings + Bath Panel Type: Wall tiling - Allow for adhesive, grout + waterproofing Ref: TBC
	Elements: Walls, Skirting, Bath Cladding + Niche Type: Tiling - 60x60 or feature wall Suggested supplier: TBC Colour/Specification: TBC
	Elements: Walls, Skirting (as above) + Niche Type: Wall tiling - Allow for adhesive, grout + waterproofing Ref: TBC
	Elements: Integrated Joinery Type: Varies - See Joinery Schedules
FLOOR FINISHES	
	Type: Herringbone Flooring (Trading Floor) Suggested supplier: Trading Floor Specification: 185mm boards - Ref. TBC
	Type: Bathroom Tiles - Allow for tanking system Suggested supplier: Doms Specification: TBC
	Type: Entrance Tiles Spec: Tiling Suggested supplier: TBC Colour/Specification: TBC
	Type: Garden Covering Spec: Granite Slabs Finish: TBC by client
FINISHES NOTE: All finishes to be approved by CA prior to ordering - Contractor to allow for all manufacturer's recommended installation accessories/adhesives/fixings etc.	
FIRE DOORS	
NOTE: All fire doors to be inspected and approved by Building Control prior to occupation. Contractor to allow for all required intumescent strips, smoke seals and 30min Fire rated doors, include installation accessories/adhesives/fixings etc.	
FIRST/SECOND FIX	
NOTE: Contractor to supply all first fix elements and second fix electrics. Finish to be brushed stainless steel Investire will supply second fix Plumbing items.	
REFERENCE KEY	
	Room Reference Room Name
	Door Reference Refer to 800_Door Schedule
	Glazing Reference Refer to 810_Glazing Schedule
	Construction Key Reference
	Finishes Key Reference
NOTE:STRUCTURAL INFORMATION SHOWN IS INDICATIVE. REFER TO SEE DRAWINGS FOR FURTHER INFORMATION	
NOTE: M+E INFORMATION SHOWN IS INDICATIVE. CONTRACTOR RE FOR DESIGN OF FULLY CO-ORDINATED SERVICES	
CDM 2015: CONTRACTOR TO REFER TO PRE-CONSTRUCTION INFORMATION FOR CDM DETAILS - ARCHITECT NOT ACTING AS PRINCIPAL DESIGN	

NOTE:

Part A (Structural safety)
See Structural Engineer's drawings and calculations.

Part B (Fire safety)
See drawings for smoke and heat detection layout.
BS5839-6: 2004 grade D category LD3 automatic, interlinked detection system. Mains powered with battery back up.
All structure to be 30min fire rated

Part C (Resistance to contaminants and moisture)
Not applicable.

Part D (Toxic substances)
Not applicable.

Part E (Resistance to sound)
All internal stud walls are to be packed with rockwool solid acoustic insulation batts to resist the passage of impact and airborne sounds.

Part F (Ventilation)
Wetroom to have 15l/s mechanical ventilation. Activated with light and with 15 minute overheat.
Kitchen to have 30l/s over cooker hood
SUSPENDED TIMBER FLOOR
Provide cross-ventilation of the under floor to outside air by ventilators in at least 2 opposite external walls of the building.

Part G (Sanitation, hot water safety and water efficiency)
Hot and cold water supply required.

Part H (Drainage and waste disposal)
All sanitary pipework and drainage must comply with the relevant clauses in section 1 and 3 of Building Regulations approved document H or BS 1205:2000, BS EN 12056 and BS 752. All to be agreed with Building Control Officer on site.
NB. Drainage runs shown on drawing are indicative only - drainage is to be designed by contractor.

Part J (Heat producing appliances)
Heating and hot water to be supplied by a new wall mounted condensing gas boiler. To be installed and tested in compliance with Part L and to be in accordance with Local water authorities bye laws, the Gas Safety Regulations 1998 and IEE Regulations.
Existing radiators to be retained.

Part K (protection from falling)
See drawings for riser and tread dimensions for new stair.

Part L (Conservation of fuel and power)
See drawings for U-Values.

Part M (Access to and use of buildings)
Not applicable.

Part N (Glazing safety)
Safety glass specified where required.

Part P (Electrical safety)
A person or firm registered with a Part P competent person's scheme should carry out all electrical work.
Electrical installation to be designed, installed, inspected and tested in accordance with BS 7671:2001 chapter 13. When those parts of the work are complete the appropriate BS7671 Electrical Installation Certificate is to be issued for the work and a copy is to be submitted to Building Control on completion.

Areas provided on drawings are rounded to the nearest whole unit. Measurements are based upon received survey information and as such a reasonable allowance should be made for discrepancies or deviations that may occur during construction.

These drawings are issued for Building Regulations purposes only. All proposals must be subject to formal plan check and approval by the Local Authority Building Control (LABC) or an Approved Inspector prior to commencement of any works on site. The contractor and client are responsible for ensuring such approvals are in place before works proceed.

Revisions		
No.	Description	Date
0	BUILDING CONTROL	27-03-2026
1	BUILDING CONTROL	10-04-2026

PROPOSED

Note: Do not scale from this drawing. All dimensions to be checked on site by the contractor and to be his responsibility.

Arctelop Architecture LTD
3rd Floor
Albemarle Street 45
Mayfair, London
W1S 4JL

T 0207 950 0703
E info@arctelop.com

Project Name: 20 Stone Street

Project Number: **Drawing Name**
Proposed Second Floor Plan New Walls
Drawing No
P202

Revision
1

Scale
1:50 @ A1, 1:100 @ A3

Av