



Heritage Conservation

Katherine Parkin
Gravesham Borough Council
Civic Centre
Windmill Street
Gravesend
Kent DA12 1AU

Heritage Conservation
Kent County Council
Invicta House
Maidstone
ME14 1XX

Ask for: Casper Johnson
Email: casper.johnson@kent.gov.uk

5 April 2023

**2022 0181 – Field Adjacent To Brookers Farmyard, Luddesdown Road,
Luddesdown, Gravesend Kent**

**Engineering works to construct a formal car parking area for Vineyard Farms
Ltd office, and winery and vineyard workers.**

Thank you for consulting us on the above application.

The site lies within an area of multi-period archaeological potential with a record of the site of possible later prehistoric or Romano-British activity in the form of crop marks c.80m to the east of the site. The proposed works would be likely to impact on any below-ground archaeological remains at the site and I recommend that if planning permission is granted the following condition is applied to any forthcoming consent:

No development shall take place until the applicant, or their agents or successors in title, has secured the implementation of

- i. archaeological field evaluation works in accordance with a Written Scheme of Investigation and timetable which has been submitted to and approved in writing by the Local Planning Authority; and***
- ii. following on from the evaluation, any safeguarding measures to ensure preservation in situ of important archaeological remains and/or further archaeological investigation and recording in accordance with a Written Scheme of Investigation and timetable which has been submitted to and approved in writing by the Local Planning Authority.***

Reason: To ensure appropriate assessment of the archaeological implications of any development proposals and the subsequent mitigation of adverse impacts through preservation in situ or by record.

I recommend that the field evaluation could comprise a geophysical survey in the first instance to limit physical impacts to the site. The detail of the approach would depend on the extent and depth of groundworks and I would be happy to discuss any of the above further and provide the applicant with a brief for the work on request.

Yours sincerely

Casper Johnson FSA
Senior Archaeological Officer
Heritage Conservation Team
Environment, Planning & Enforcement