



Application: 20240871

**TOWN AND COUNTRY PLANNING ACT 1990
THE TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT PROCEDURE)
(ENGLAND) ORDER 2015 (AS AMENDED)**

NOTIFICATION OF GRANT OF PERMISSION TO DEVELOP LAND
--

To: **Mr Larry Allison
144 Rochester Road
Gravesend
Kent
DA12 2HZ**

TAKE NOTICE that the **GRAVESHAM BOROUGH COUNCIL**, the Local Planning Authority under the Town and Country Planning Acts, has **GRANTED PERMISSION** for development of land situate at:

**The Page
1 Parrock Street
Gravesend
Kent
DA12 1EW**

and being **Removal of existing retracting roof and replace with a sound insulated roof. Removal of existing steel post supporting roof and replace with acoustic block wall.** Your application dated 4th October 2024 is permitted subject to the following:-

1. The development to which this permission relates must be begun not later than the expiration of three years beginning with the date on which this permission is granted.

Reason: In pursuance of Section 91 of the Town and Country Planning Act 1990, as amended by Section 51 of the Planning and Compulsory Purchase Act 2004.

2. The development hereby permitted shall be carried out only in precise accordance with the following schedule of approved plans and details, unless alternative details are approved pursuant to the conditions imposed on this decision notice:

Application form
Heritage Statement
Site Location Plan
Noise Management Plan
Noise Impact Assessment
Drawing no. LA/P24/0020 (OS Plan and Block Plan)
Drawing no. LS/P24/002 (Ground floor layout as existing)
Drawing no. LA/P24/003 (front and rear elevation)
Drawing no. LA/P24/004 (side elevation as existing)
Drawing no. LA/P24/005 (rear roof plan as existing)
Drawing no. LA/P24/006 (proposed ground floor layout)
Drawing no. LA/P24/012 (proposed rear elevation and proposed rear section)
Drawing no. LA/P24/013 (proposed acoustic roof to rear)
Drawing no. LA/P24/014 (existing rear elevation and proposed rear section)

Reason: For the avoidance of any doubt and in the interest of proper planning.

3. No development shall commence above ground until details of the facing materials to the acoustic walls and full details of the materials to be used on the roof have been submitted to and approved in writing by the Local Planning Authority.

Reason: To safeguard amenity and the appearance of the Conservation Area in accordance with Policies CS19 and CS20 of the Core Strategy 2014.

4. The design criteria and noise mitigation measures as detailed in report 'Noise Impact Assessment + Acoustic Design Appraisal' by JG Acoustics dated 19/12/2024 (Report Ref: PAG-004A V001) (The Report) shall be implemented by competent persons. Prior to operation a post completion noise assessment must be undertaken by a suitably qualified acoustic consultant, and a report submitted to and approved in writing by the Local Planning Authority. The post completion testing shall assess performance of the design criteria and noise mitigation measures against the noise levels and Local Authority requirements as set out in The Report.

If the post completion testing demonstrates that the noise levels and Local Authority requirements as set out in the Report have not been achieved, and noise mitigation is insufficient, then additional noise mitigation measures (where necessary to ensure the appropriate noise levels can be met), shall be submitted and approved in writing by the Local Authority and installed and tested prior to operation.

The mitigation measures must be retained thereafter.

Reason: To safeguard conditions of amenity in accordance with Policy CS19 of the Gravesham Core Strategy 2014.

5. The measures contained within the 'Noise Management Plan' by JG Acoustics dated 24/06/2024 (Report Ref: PAG-003A V001) and any further works required as a result of post completion testing must be completed prior to operation and the Noise Management Plan shall be maintained and made available to local authority officers on request

Reason: To safeguard conditions of amenity in accordance with Policy CS19 of the Gravesham Core Strategy 2014.

INFORMATIVES:-

1 BUILDING REGULATIONS AND PARTY WALL ACT

This decision DOES NOT imply any consent which may be required under the Building Regulations or under any other enactment or provision. Nor does it override any private rights which any person may have relating to the land affected by this decision, including the provisions of the Party Wall etc. Act 1996.

2 HEALTH AND SAFETY

In these premises Gravesham Borough Council (GBC) Environmental Health will be the enforcing authority. The applicant must ensure that these premises comply fully with the Health and Safety at Work (etc) Act 1974 and all relevant regulations made there under. For information and advice on health and safety matters check out the HSE website www.hse.gov.uk or contact the Environmental Health team on commercialhealth.admin@gravesham.gov.uk or 01474 337 000.

This workplace will be immediately subject to the requirements of the Workplace (Health, Safety and Welfare) Regulations 1992. Particular attention should be made to the following requirements.

- o Regulation 6 requires that effective and suitable provision shall be made to ensure that every enclosed workplace is ventilated by a sufficient quantity of fresh or purified air.
- o Regulation 14 requires that every window or other transparent or translucent surface in a door or gate shall where necessary for reasons of safety be constructed of a safety material or be protected against breakage and also be appropriately marked.
- o Regulation 20 requires that suitable and sufficient sanitary conveniences shall be provided at readily accessible places. Where between 6 and 25 persons are employed a minimum of 2 water closets must be provided.

3 **FOOD SAFETY**

It is a requirement under Article 6(2) of Regulation 852/2004 that food business operators must register their establishments with the appropriate competent authority (in this case GBC Environmental Health) at least 28 days before food operations commence. Registration is via the Gravesham Borough Council website www.gravesham.gov.uk/food-safety

The applicant must ensure that the kitchen fully complies with current food safety legislation to the satisfaction of the Regulatory Services Manager. Structural and operational requirements are covered by the legislation notably EC Regulation 852/2004.

All internal structures to the kitchen must be impervious, non-absorbent and washable i.e. easy to clean and maintain in a clean condition.

Where inspection chambers become part of the internal structure of the kitchen they must be closed with a secure, sealed, airtight cover.

Ensure that any waste pipes which become part of the internal structure of the kitchen terminate externally at an appropriate height.

Any floor drains which become part of the internal structure of the kitchen must be fitted with a close-fitting grill which is easy to clean.

The kitchen should be pest proofed as far as possible i.e. gaps and holes to external doors, windows, pipes and drains etc. must be filled or covered with a solid, durable material in order to minimise pest entry points in to food preparation and storage areas.

Lavatories must not lead directly into rooms in which food is handled, stored or prepared. There should be an intervening ventilated space between toilets and food rooms. Food should not be stored in that space.

The provision and location of sinks and wash hand basins is an important consideration in the design and planning of a kitchen. A minimum of 1 wash hand basin and a double sink unit must be installed. A dish washer is also recommended.

The layout and scale of the business operation is such that mechanical ventilation, with a balanced air intake and appropriate extract system, is likely to be required. This will need to achieve a minimum of 30 air changes per hour and a maximum ambient temperature of 25C within the working kitchen. I recommend that you contact a specialist contractor in this regard.

For further advice on starting a food business please visit the FSA website <https://www.food.gov.uk/business-guidance>

4 **NETWORK RAIL**

The developer must ensure that their proposal, both during construction and after completion does not:

- o encroach onto Network Rail land
- o affect the safety, operation or integrity of the company's railway and its infrastructure
- o undermine its support zone
- o damage the company's infrastructure
- o place additional load on cuttings

- o adversely affect any railway land or structure
- o over-sail or encroach upon the air-space of any Network Rail land
- o cause to obstruct or interfere with any works or proposed works or Network Rail development both now and in the future

Network Rail strongly recommends the developer complies with the following comments and requirements to maintain the safe operation of the railway and protect Network Rail's infrastructure.

Future maintenance

The applicant must ensure that any construction and subsequent maintenance can be carried out to any proposed buildings or structures without adversely affecting the safety of/or encroaching upon Network Rail's adjacent land and air-space. Therefore, any buildings are required to be situated at least 2 metres (3m for overhead lines and third rail) from Network Rail's boundary.

This requirement will allow for the construction and future maintenance of a building without the need to access the operational railway environment. Any less than 2m (3m for overhead lines and third rail) and there is a strong possibility that the applicant (and any future resident) will need to utilise Network Rail land and air-space to facilitate works as well as adversely impact upon Network Rail's maintenance teams' ability to maintain our boundary fencing and boundary treatments. Access to Network Rail's land may not always be granted and if granted may be subject to railway site safety requirements and special provisions with all associated railway costs charged to the applicant.

As mentioned above, any works within Network Rail's land would need approval from the Network Rail Asset Protection Engineer. This request should be submitted at least 20 weeks before any works are due to commence on site and the applicant is liable for all associated costs (e.g. a l l possession, site safety, asset protection presence costs). However, Network Rail is not required to grant permission for any third-party access to its land.

Plant & Materials

All operations, including the use of cranes or other mechanical plant working adjacent to Network Rail's property, must at all times be carried out in a "fail safe" manner such that in the event of mishandling, collapse or failure, no plant or materials are capable of falling within 3.0m of the boundary with Network Rail.

Drainage

Storm/surface water must not be discharged onto Network Rail's property or into Network Rail's culverts or drains except by agreement with Network Rail. Suitable drainage or other works must be provided and maintained by the Developer to prevent surface water flows or run-off onto Network Rail's property. Proper provision must be made to accept and continue drainage discharging from Network Rail's property; full details to be submitted for approval to the Network Rail Asset Protection Engineer. Suitable foul drainage must be provided separate from Network Rail's existing drainage. Soakaways, as a means of storm/surface water disposal must not be constructed within 20 metres of Network Rail's boundary or at any point which could adversely affect the stability of Network Rail's property. After the completion and occupation of the development, any new or exacerbated problems attributable to the new development shall be investigated and remedied at the applicants' expense.

Scaffolding

Any scaffold which is to be constructed within 10 metres of the railway boundary fence must be erected in such a manner that at no time will any poles over-sail the railway and protective netting around such scaffold must be installed. The applicant/applicant's contractor must consider if they can undertake the works and associated scaffold/access for working at height within the footprint of their property boundary.

Piling

Where vibro-compaction/displacement piling plant is to be used in development, details of the use of such machinery and a method statement should be submitted for the approval of the Network Rail's Asset Protection Engineer prior to the commencement of works and the works shall only be carried out in accordance with the approved method statement.

Fencing

In view of the nature of the development, it is essential that the developer provide (at their own expense) and thereafter maintain a substantial, trespass proof fence along the development side of the existing boundary fence, to a minimum height of 1.8 metres. The 1.8m fencing should be adjacent to the railway boundary and the developer/applicant should make provision for its future maintenance and renewal without encroachment upon Network Rail land. Network Rail's existing fencing / wall must not be removed or damaged and at no point during or post construction should the foundations of the fencing or wall or any embankment therein, be damaged, undermined or compromised in any way. Any vegetation within Network Rail's land boundary must not be disturbed. Any fencing installed by the applicant must not prevent Network Rail from maintaining its own fencing/boundary treatment.

Lighting

Any lighting associated with the development (including vehicle lights) must not interfere with the sighting of signalling apparatus and/or train drivers' vision on approaching trains. The location and colour of lights must not give rise to the potential for confusion with the signalling arrangements on the railway. The developers should obtain Network Rail's Asset Protection Engineer's approval of their detailed proposals regarding lighting.

Noise and Vibration

The potential for any noise/vibration impacts caused by the proximity between the proposed development and any existing railway must be assessed in the context of the National Planning Policy Framework which hold relevant national guidance information. The current level of usage may be subject to change at any time without notification including increased frequency of trains, night time train running and heavy freight trains.

Vehicle Incursion

Where a proposal calls for hard standing area/parking of vehicles area near the boundary with the operational railway, Network Rail would recommend the installation of a highways approved vehicle incursion barrier or high kerbs to prevent vehicles accidentally driving or rolling onto the railway or damaging lineside fencing.

Landscaping

Any trees/shrubs to be planted adjacent to the railway boundary these shrubs should be positioned at a minimum distance greater than their predicted mature height from the boundary. Certain broad leaf deciduous species should not be planted adjacent to the railway boundary as the species will contribute to leaf fall which will have a detrimental effect on the safety and operation of the railway. Network Rail wish to be involved in the approval of any landscaping scheme adjacent to the railway. Any hedge planted adjacent to Network Rail's boundary fencing for screening purposes should be so placed that when fully grown it does not damage the fencing or provide a means of scaling it. No hedge should prevent Network Rail from maintaining its boundary fencing. If required, Network Rail's Asset Protection team are able to provide more details on which trees/shrubs are permitted within close proximity to the railway.

Existing Rights

The applicant must identify and comply with all existing rights on the land. Network Rail request all existing rights, covenants and easements are retained unless agreed otherwise with Network Rail.

If you would like to discuss any of the above, please contact your local Network Rail's Asset Protection team:

Anglia: AssetProtectionAnglia@Networkrail.co.uk
Kent and Sussex: AssetProtectionLondonSouthEast@NetworkRail.co.uk
Wessex: AssetProtectionWessex@NetworkRail.co.uk

To identify your route, please use the link: <https://www.networkrail.co.uk/running-the-railway/our-routes>

5 STATEMENT OF POSITIVE AND PROACTIVE APPROACH TO DECISION-MAKING

In accordance with Article 35 (2) of the Town and Country Planning (Development Management Procedure) (England) Order 2015 (as amended), and paragraph 39 of the National Planning Policy Framework (NPPF) 2024, the Local Planning Authority has approached the assessment and determination of this application in a positive and creative way and, where appropriate, has worked pro-actively with the applicant to secure a development that is sustainable and that improves the economic, social and environmental conditions of the area, and that is in accordance with the Development Plan for the area.

6 AGREEMENT FOR IMPOSITION OF PRE-COMMENCEMENT CONDITION(S)

In accordance with The Town and Country Planning (Pre Commencement Conditions) Regulations 2018 and paragraph 36 of the Planning Practice Guidance the Local Planning Authority has agreed in writing with the applicant on 15 January 2025 to the inclusion of the following pre-commencement condition.

Condition 3 - Details of Materials

7 CODE OF PRACTICE FOR CONSTRUCTION/DEMOLITION SITES WITHIN THE BOROUGH OF GRAVESHAM

This Code of Practice relates to all building sites in Gravesham and is given to ensure best practice is achieved equally throughout the borough. All aspects of the code apply to every building site and will only be altered on an individual basis if there are found to be special circumstances on that particular site. Any amendment made will be in writing by an authorised officer of the Environmental Health Department. The following circumstances are given where consideration will be given to a variation in the Code of Practice:-

- a) Where occupiers of noise sensitive properties are unlikely to be affected by the works.
- b) Where the work cannot be carried out during the hours specified because of the requirements of another authority such as the emergency services, utilities, traffic management authorities etc.
- c) Where the site location is isolated or where the works are in a mainly commercial/industrial area with few residential properties.

In all the above cases the onus will be on the applicants to provide written justification as to why the code should be varied. When making such a statement the applicant must include the following information where appropriate:-

- i) Location, nature and duration of works.
- ii) Measured/predicted noise levels and background levels.
- iii) Measured/predicted vibration levels.
- iv) Proximity and numbers of residential properties.
- v) Evidence of public consultation/information to persons likely to be affected.
- vi) Written evidence from the appropriate authority (in instances where b) above applies).

In order for adequate consideration to be given by this Council to a request for deviation from the Code of Practice, any proposal must be provided in writing to the Environmental Health Services Manager at least fifteen working days prior to the works starting.

On developments where construction/demolition is undertaken on contaminated land, work will be required to be carried out in a way which will be specified within conditions of the site's planning approval.

Please note compliance with Health and Safety requirements arising from construction/ demolition work shall be given priority over this Code of Practice.

On the site itself, best practicable means as defined in section 72 of the Control of Pollution Act 1974 to reduce noise to a minimum shall be employed at all times.

Compliance with BS5228 Part 1:1997 'Noise control on Construction & Open sites' is expected as a minimum standard. This requires amongst other things that all plant and machinery in use shall be properly silenced, maintained and used in accordance with the manufacturer's instructions.

Criteria and procedures for vibration control are assessed using different parameters as follows:

- * Vibration Dose Values (VDVs) are used to protect the occupants and users of buildings from disturbance. (VDVs are defined in BS 6841 and their application is discussed in BS 6472).
- * Peak Component Particle Velocity is used to protect buildings from risk of physical damage. These are assessed in accordance with BS 7385.

Best Practicable means shall be used to control vibration levels so that the following Vibration Dose Values measured on a normally loaded floor in accordance with BS 6472:1994 are not routinely exceeded as a result of works.

Building Type	Period	VDV (ms ^{-1.75})
Residential Buildings, Educational Establishments, Offices and similar	Normal working hours	0.4
Commercial	Normal working hours	0.8

Best Practicable Means shall be used to control Peak Component Particle Velocity measured at the base of any building in accordance with BS 7385 does not routinely exceed a level of 10 mm/s.

In instances where complaints of vibration are received within any adjacent property then the contractor shall immediately take all measures necessary to demonstrate that the vibration levels are below the limits shown in the paragraphs above.

Where the results of any monitoring indicate non-compliance with the limits stated above, the contractor shall immediately change the method of working, and/or the plant being used. Prior to the work recommencing, the contractor shall satisfactorily demonstrate that the new arrangements satisfy the vibration limits.

DUST

Dust suppression techniques shall be used on site where significant quantities of spoil or fine aggregates are stored and/or where the site location is such that it is likely persons living in residential properties are going to be affected by wind blown dust.

Spoil temporarily placed on site shall be located as far away from sensitive properties as possible. The height of stored material shall be kept as low as is practical and water sprayed onto the surface of the piles shall be used as appropriate to keep the surface damp.

Where longer term storage of fine aggregates and other potentially dusty material is necessary, suitable storage facilities shall be used where practicable in order to screen these materials from the wind. This stored material shall be located so that it is as far away from sensitive properties as possible and measures to prevent wind blown dust shall be adopted. These shall include:-

- * keeping the height of stock piles as low as possible,
- * using water sprays as appropriate whilst minimising the production of excessive runoff,
- * minimising the re handling of dry construction materials and spoil,
- * keeping the loading drop heights to as low as possible,
- * where appropriate applying the surfaces of roads on site with water sprays as necessary and/or using wheel-washing facilities.
- * all materials transported to and from the site shall be conveyed by suitable vehicles in enclosed containers or using other adequate wind shielding measures such as sheeting.

The person responsible for the site shall keep on site a daily log book which will be available to visiting authorised officers and shall list the following:-

- * the conditions on site,
- * whether any wind blown dust was visibly coming off the site,
- * what control measures were carried out, and
- * what the results of these were.

COMMUNICATION

It shall be a matter of priority for a contact name and telephone number to be set up in order to enable ready two-way communication and contact with the council and local residents. In cases where work likely to cause a disturbance is to be carried on out of normal working hours, the phone line would be manned whilst the work is ongoing.

LIGHTING

Where security and/or site lighting is used, this shall be located and directed or screened so that it does not cause undue intrusion to adjacent occupied residential properties, or sensitive areas, or constitute a road hazard, and shall be chosen to limit light pollution effects such as "glow in the sky".

Dated: 15 January 2025

Civic Centre
Windmill Street
Gravesend
Kent
DA12 1AU

Shazad Ghani
MPhil, MA, BA (Hons)
Head of Planning
Planning Service

NOTIFICATION TO APPLICANT

APPEALS TO THE SECRETARY OF STATE

- If you are aggrieved by the decision of your Local Planning Authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under Section 78 of the Town and Country Planning Act 1990.
- If this is a **householder application*** which has been refused and you want to appeal against your Local Planning Authority's decision then you must do so within **12 weeks of the date of this notice**.
- For all other applications, refused or permitted, if you want to appeal against your Local Planning Authority's decision then you must do so within 6 months of the date of this notice.
- **For further information regarding Appeals and to make an application please click the relevant link:**
<https://www.gov.uk/appeal-householder-planning-decision>
<https://www.gov.uk/appeal-planning-decision>
- The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to him that the Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any

directions given under a development order.

- In practice, the Secretary of State does not refuse to consider appeals solely because the Local Planning Authority based their decision on a direction given by him.

***Householder applications**

These are:

- (a) applications for planning permission for development of an existing dwellinghouse, or development within the curtilage of such a dwellinghouse for any purpose incidental to the enjoyment of the dwellinghouse, or
- (b) an application for any consent, agreement or approval required by or under a planning permission, development order or local development order in relation to such development

but does **not** include –

- (i) an application for change of use;
- (ii) an application to change the number of dwellings in a building.

PURCHASE NOTICES

If either the Local Planning Authority or the Secretary of State for the Environment refuses permission to develop land or grants it subject to conditions, the owner may claim that he/she can neither put the land to a reasonably beneficial use in its existing state nor can he/she render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council (District Council, London Borough Council or Common Council of the City of London) in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.