

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 14/05/2025 8:40 AM from [REDACTED]

Application Summary

Address:	Land At Wrotham Road Meopham Gravesend Kent DA13 0AA
Proposal:	Request for a screening opinion in accordance with The Town and Country Planning Act (Environmental Impact Assessment) Regulations 2017 in respect of an EIA Screening Opinion to determine whether two outline planning applications for residential developments, one for up to 350 dwellings and one for up to 120 dwellings, at Meopham, Wrotham Road constitutes EIA development.
Case Officer:	Ms Amanda Cue

[Click for further information](#)

Customer Details

Name:	[REDACTED]
Email:	[REDACTED]
Address:	[REDACTED] Nurstead Church lane Gravesend

Comments Details

Commenter Type:	Member of the Public
Stance:	Customer objects to the Planning Application
Reasons for comment:	
Comments:	Congestion-- where the wrotham road meets longfield road is always badly congested especially around school starting and going home time. As meopham school is also close traffic queues back to this turn off. There is also heavy queues waiting to get out of camer road. Facilities- the village doctors surgery is very busy and will not cope with so many new families. We already have to wait an unexceptable time for appointments which will only get worse.

Kind regards