

Delegated Report

Telecommunication Works Application

Planning Application No: 20240129

Location: Mid Kent Golf Club Singlewell Road Gravesend Kent

Description: The Electronic Communications Code (Conditions and restrictions) Regulations 2003 (as amended) - Regulation 5 Notice of Intention to install fixed line broadband electronic communications apparatus

Applicant: Reddy Ailreddigari

Submitted Documents/Plans

Cover Letter
Work Location Map

Relevant Planning History

No relevant planning history.

Proposed Development

This is a 28day notice application to:

- Install Fixed Line Broadband Apparatus.
- Install a 1no. 10m high wooden pole

Relevant Definitions:

The communications Act 2003 interprets the following terms as laid out below:

Apparatus

Includes any equipment, machinery or device and any wire or cable and the casing or coating for any wire or cable.

Electronic Communication Apparatus

- (a) apparatus designed or adapted for use in connection with the provision of an electronic communications network,
- (b) apparatus designed or adapted for a use which consists of or includes the sending or receiving of communications or other signals that are transmitted by means of an electronic communications network,
- (c) lines, and
- (d) other structures or things designed or adapted for use in connection with the provision of an electronic communications network

Whether prior approval is required for the works would be assessed under the legislation within The Town and Country Planning (General Permitted Development) (England) Order 2015. Part 16, Schedule 2 of this details the requirements for Communications. Class A specifically addresses electronic communications code operators, which is applicable to this case. The requirements specific to this case are laid out in the

table(s) below:

Class A – electronic communications code operators

Class A provides legislation which covers the following types of development within the electronic communication type:

A.1 (1) Ground Based apparatus

A.1 (2) Building-based apparatus other than small antenna and small cell systems

A.1 (3) Apparatus on Masts

A.1 (4) Antennas and supporting structures installed, replaced or altered on article 2(3) land or land which is a site of special scientific interest

A.1 (5) Electronic communications apparatus installed, replaced or altered on a dwellinghouse

A.1 (6) Small antennas installed, replaced or altered on a building which is not a dwellinghouse

A.1 (7) Ground or Base Area

A.1 (8) Driver Information Systems

A.1 (9) Radio Equipment Housing

A.1 (10) Public Call Box

This application is not covered by article 2(3) land. To the southeast of the site lies Claylane Woods which is in an area of special scientific interest. However, this is 1566 metres away and so this site would not be considered to fall within that range. The section of legislation which would most appropriately cover this proposal would be A.1 (1) Ground Based apparatus. No other sections would be relevant to the proposal.

A.1 (1) Ground Based apparatus

Section of Legislation	Requirement	Has the requirement been met? (Y/N)
1	Development consisting of the installation, alteration or replacement of electronic communications apparatus (other than on a building) is not permitted by Class A(a) if—	See assessment below
1(a)	(a)in the case of the installation of electronic communications apparatus (other than a mast), the apparatus, excluding any antenna, would exceed a height of 15 metres above ground level;	Y The pole would be 10m high.
1(b)	(b)in the case of the alteration or replacement of electronic communications apparatus (other than a mast) that is already installed, the apparatus, excluding any antenna, would when altered or replaced exceed the height of the existing apparatus or a height of 15 metres above ground level, whichever is the greater;	Y No alteration or replacement proposed.
1(c)	(c)in the case of the installation of a mast, the mast, excluding any antenna, would exceed a height of— (i) 30metres above ground level on unprotected land; or (ii) 25 metres above ground level on article 2(3) land or land which is on a highway;	Y The pole would be 10m high.
1(d)	(d)in the case of the alteration or replacement of a mast, the height of the mast, excluding any antenna, would when altered or replaced exceed the greater of the	Y No alteration or replacement proposed.

	height of the existing mast or a height of— (i)30 metres above ground level on unprotected land; or (ii)25 metres above ground level on article 2(3) land or land which is on a highway; or	
1(e)	(e)in the case of the alteration or replacement of a mast— (i)the mast is on any land which is, or is within, a site of special scientific interest; and (ii)the mast would, when altered or replaced, exceed the original width of the mast by more than one third.	Y No alteration or replacement proposed.

The proposed development would not trigger the need for a prior approval assessment under paragraph A.2 (conditions). However, the Local Planning Authority must determine whether the siting and appearance of the development is acceptable under A.2 (1) (a) and whether they wish to determine whether the prior approval of these matters is required.

It is considered that that the works proposed which would erect a 10m high wooden pole, would have no significant effect on the external appearance of the surrounding area. The area has another similar pole nearby and the placement and position of this single additional pole, would not result in a cluttered and significant number of poles which cumulatively could result in deterioration of the character of the area. It is therefore determined that the siting and appearance of the development would be acceptable and planning permission would not be required for the development.

(For detailed conditions / reasons for refusal and informatives, see draft Decision)

Case Officer:	Mrs Lisa Fisher	Team Leader:	Richard Hart
Signed:		Signed:	<i>R Hart</i>
Dated:	26th February 2024	Dated:	26th February 2024