

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>13</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|         |                   |
|---------|-------------------|
| Diagram | Sectional Details |
|---------|-------------------|

Diagram showing the layout and dimensions of the 1 x 1 Pair of Sashes to Cord Hung Sash Window. The window is divided into two main sections, A1 and A2, each containing a 3x3 grid of panes. The overall width is 975mm and the overall height is 1615mm. Individual pane dimensions are 278.4mm x 350mm. The sashes are labeled 'Cord Hung' and 'A1'/'A2'. Arrows indicate the sashes are to be hung. The diagram also shows the sash head, stile, and rail dimensions: 50mm for head and stile, 95mm for the bottom rail (internal), 30mm for the midrail, and 36mm for the thickness. The top and bottom sash horns are 'No horn'. The diagram is labeled 'R' on the left and right sides.

|                     |         |        |
|---------------------|---------|--------|
| Sash Head           | 50 mm   |        |
| Sash Stile          | 50 mm   |        |
| Sash Btm Rail (int) | 95 mm   | Square |
| Sash Midrail        | 30 mm   |        |
| Sash Thickness      | 36 mm   |        |
| Top Sash Horn       | No horn |        |
| Btm Sash Horn       | No horn |        |



|                                                       |                 |                           |
|-------------------------------------------------------|-----------------|---------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Glazing Bar     | 20 mm (4 mm Nib)          |
| Material<br><b>Accoya</b>                             | Profile         | Ovolo                     |
| Quantity<br><b>1</b><br>of shown on drawing           | Moulding Cutter | 6 x 13 with 6 mm shoulder |
|                                                       | Glazing Rebate  | 8 x 15 mm                 |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br><br>Dry Seal    |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                  |                                             |
|------------------|---------------------------------------------|
| Production Notes | Installation Notes<br>Installed: Internally |
|------------------|---------------------------------------------|

2 | 13 | 6 | 15

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>14</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|         |                   |
|---------|-------------------|
| Diagram | Sectional Details |
|---------|-------------------|

Diagram showing the dimensions of the 1 x 1 Pair of Sashes to Cord Hung Sash Window. The overall width is 1170 mm and the overall height is 1765 mm. The sash head is 50 mm, sash stile is 50 mm, sash btm rail (int) is 95 mm, sash midrail is 30 mm, sash thickness is 36 mm, top sash horn is No horn, and btm sash horn is No horn. The diagram also shows the sash head and bottom rail dimensions.

Sash Head 50 mm

Sash Stile 50 mm

Sash Btm Rail (int) 95 mm Square

Sash Midrail 30 mm

Sash Thickness 36 mm

Top Sash Horn No horn

Btm Sash Horn No horn

|                                                       |                                           |
|-------------------------------------------------------|-------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Glazing Bar 20 mm (4 mm Nib)              |
| Material<br><b>Accoya</b>                             | Profile Ovolo                             |
| Quantity<br><b>1</b><br>of shown on drawing           | Moulding Cutter 6 x 13 with 6 mm shoulder |
|                                                       | Glazing Rebate 8 x 15 mm                  |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br>Dry Seal        |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                  |                                             |
|------------------|---------------------------------------------|
| Production Notes | Installation Notes<br>Installed: Internally |
|------------------|---------------------------------------------|

2 | 13 | 6 | 15

Job Tracking 

Order received: 30-10-2023 Print date: 21-02-2024

Sold by: Andy Macrae

Surveyed by: Chris Jewiss Last modified date: 21-02-2024

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>15</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|         |                   |
|---------|-------------------|
| Diagram | Sectional Details |
|---------|-------------------|

Diagram showing the dimensions of the 1 x 1 Pair of Sashes to Cord Hung Sash Window. The window is 1170mm wide and 920mm high. The sashes are 1070mm wide and 875mm high. The sashes are divided into four panes each, with dimensions 252.5mm x 387.5mm. The sashes are labeled 'R' for Right and 'L' for Left. The diagram also shows the sash head, stile, and rail dimensions.

Sash Head 50 mm

Sash Stile 50 mm

Sash Btm Rail (int) 95 mm Square

Sash Midrail 30 mm

Sash Thickness 36 mm

Top Sash Horn No horn

Btm Sash Horn No horn



|                                                       |                                           |
|-------------------------------------------------------|-------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Glazing Bar 20 mm (4 mm Nib)              |
| Material<br><b>Accoya</b>                             | Profile Ovolo                             |
| Quantity<br><b>1</b><br>of shown on drawing           | Moulding Cutter 6 x 13 with 6 mm shoulder |
|                                                       | Glazing Rebate 8 x 15 mm                  |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br><br>Dry Seal    |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                  |                                             |
|------------------|---------------------------------------------|
| Production Notes | Installation Notes<br>Installed: Internally |
|------------------|---------------------------------------------|

2 | 13 | 6 | 15

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|

# JOINERY DETAIL SHEET

### 1 x 1 Pair of Sashes to Cord Hung Sash Window

Customer

**Fortside Investments Limited**

Job No

**C37337**


| Item No | Item Description | Unit | Quantity | Unit Price | Total Price |
|---------|------------------|------|----------|------------|-------------|
| 1       | ...              | ...  | ...      | ...        | ...         |
| 2       | ...              | ...  | ...      | ...        | ...         |
| 3       | ...              | ...  | ...      | ...        | ...         |
| 4       | ...              | ...  | ...      | ...        | ...         |
| 5       | ...              | ...  | ...      | ...        | ...         |
| 6       | ...              | ...  | ...      | ...        | ...         |
| 7       | ...              | ...  | ...      | ...        | ...         |
| 8       | ...              | ...  | ...      | ...        | ...         |
| 9       | ...              | ...  | ...      | ...        | ...         |
| 10      | ...              | ...  | ...      | ...        | ...         |
| 11      | ...              | ...  | ...      | ...        | ...         |
| 12      | ...              | ...  | ...      | ...        | ...         |
| 13      | ...              | ...  | ...      | ...        | ...         |
| 14      | ...              | ...  | ...      | ...        | ...         |
| 15      | ...              | ...  | ...      | ...        | ...         |
| 16      | ...              | ...  | ...      | ...        | ...         |
| 17      | ...              | ...  | ...      | ...        | ...         |
| 18      | ...              | ...  | ...      | ...        | ...         |
| 19      | ...              | ...  | ...      | ...        | ...         |
| 20      | ...              | ...  | ...      | ...        | ...         |
| 21      | ...              | ...  | ...      | ...        | ...         |
| 22      | ...              | ...  | ...      | ...        | ...         |
| 23      | ...              | ...  | ...      | ...        | ...         |
| 24      | ...              | ...  | ...      | ...        | ...         |
| 25      | ...              | ...  | ...      | ...        | ...         |
| 26      | ...              | ...  | ...      | ...        | ...         |
| 27      | ...              | ...  | ...      | ...        | ...         |
| 28      | ...              | ...  | ...      | ...        | ...         |
| 29      | ...              | ...  | ...      | ...        | ...         |
| 30      | ...              | ...  | ...      | ...        | ...         |
| 31      | ...              | ...  | ...      | ...        | ...         |
| 32      | ...              | ...  | ...      | ...        | ...         |
| 33      | ...              | ...  | ...      | ...        | ...         |
| 34      | ...              | ...  | ...      | ...        | ...         |
| 35      | ...              | ...  | ...      | ...        | ...         |
| 36      | ...              | ...  | ...      | ...        | ...         |
| 37      | ...              | ...  | ...      | ...        | ...         |
| 38      | ...              | ...  | ...      | ...        | ...         |
| 39      | ...              | ...  | ...      | ...        | ...         |
| 40      | ...              | ...  | ...      | ...        | ...         |
| 41      | ...              | ...  | ...      | ...        | ...         |
| 42      | ...              | ...  | ...      | ...        | ...         |
| 43      | ...              | ...  | ...      | ...        | ...         |
| 44      | ...              | ...  | ...      | ...        | ...         |
| 45      | ...              | ...  | ...      | ...        | ...         |
| 46      | ...              | ...  | ...      | ...        | ...         |
| 47      | ...              | ...  | ...      | ...        | ...         |
| 48      | ...              | ...  | ...      | ...        | ...         |
| 49      | ...              | ...  | ...      | ...        | ...         |
| 50      | ...              | ...  | ...      | ...        | ...         |
| 51      | ...              | ...  | ...      | ...        | ...         |
| 52      | ...              | ...  | ...      | ...        | ...         |
| 53      | ...              | ...  | ...      | ...        | ...         |
| 54      | ...              | ...  | ...      | ...        | ...         |
| 55      | ...              | ...  | ...      | ...        | ...         |
| 56      | ...              | ...  | ...      | ...        | ...         |
| 57      | ...              | ...  | ...      | ...        | ...         |
| 58      | ...              | ...  | ...      | ...        | ...         |
| 59      | ...              | ...  | ...      | ...        | ...         |
| 60      | ...              | ...  | ...      | ...        | ...         |
| 61      | ...              | ...  | ...      | ...        | ...         |
| 62      | ...              | ...  | ...      | ...        | ...         |
| 63      | ...              | ...  | ...      | ...        | ...         |
| 64      | ...              | ...  | ...      | ...        | ...         |
| 65      | ...              | ...  | ...      | ...        | ...         |
| 66      | ...              | ...  | ...      | ...        | ...         |
| 67      | ...              | ...  | ...      | ...        | ...         |
| 68      | ...              | ...  | ...      | ...        | ...         |
| 69      | ...              | ...  | ...      | ...        | ...         |
| 70      | ...              | ...  | ...      | ...        | ...         |
| 71      | ...              | ...  | ...      | ...        | ...         |
| 72      | ...              | ...  | ...      | ...        | ...         |
| 73      | ...              | ...  | ...      | ...        | ...         |
| 74      | ...              | ...  | ...      | ...        | ...         |
| 75      | ...              | ...  | ...      | ...        | ...         |
| 76      | ...              | ...  | ...      | ...        | ...         |
| 77      | ...              | ...  | ...      | ...        | ...         |
| 78      | ...              | ...  | ...      | ...        | ...         |
| 79      | ...              | ...  | ...      | ...        | ...         |
| 80      | ...              | ...  | ...      | ...        | ...         |
| 81      | ...              | ...  | ...      | ...        | ...         |
| 82      | ...              | ...  | ...      | ...        | ...         |
| 83      | ...              | ...  | ...      | ...        | ...         |
| 84      | ...              | ...  | ...      | ...        | ...         |
| 85      | ...              | ...  | ...      | ...        | ...         |
| 86      | ...              | ...  | ...      | ...        | ...         |
| 87      | ...              | ...  | ...      | ...        | ...         |
| 88      | ...              | ...  | ...      | ...        | ...         |
| 89      | ...              | ...  | ...      | ...        | ...         |
| 90      | ...              | ...  | ...      | ...</      |             |

16

Sheet

**1 of 1**

*Diagram*



### Sectional Details

|                     |         |        |
|---------------------|---------|--------|
| Sash Head           | 50 mm   | Square |
| Sash Stile          | 50 mm   |        |
| Sash Btm Rail (int) | 95 mm   |        |
| Sash Midrail        | 30 mm   |        |
| Sash Thickness      | 39 mm   |        |
| Top Sash Horn       | No horn |        |
| Btm Sash Horn       | No horn |        |



*Location*

## First Floor LHS Flat 6 living room

|                 |                           |
|-----------------|---------------------------|
| Glazing Bar     | 20 mm (4 mm Nib)          |
| Profile         | Ovolo                     |
| Moulding Cutter | 6 x 13 with 10 mm should. |
| Glazing Rebate  | 8 x 14 mm                 |

Material

## Accoya

Quantity

1

of shown on drawing

## Ironmongery

1 x Fitch Catch PB  
4 x Rola Lock Back Plate Fastener  
2 x Rola Lock Egress PB  
2 x Sash Lift PB

## Glazing

Single Glazed

Top 4mm Clear Float

Btm 4mm Clear Float

## Dry Seal

### Paint Finish

Internal Standard White

External Standard White

Cill      Standard White

### Production Notes

## Installation Notes

Installed: Internally

|   |    |    |    |
|---|----|----|----|
| 2 | 13 | 10 | 14 |
|---|----|----|----|

## Job Tracking



Order received: 30-10-2023

Print date: 21-02-2024

Sold by: Andy Macrae

Last modified date: 21-02-2024

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window


Customer  
**Fortside Investments Limited**

Job No  
**C37337**

Item No  
**21**

Sheet  
**1 of 1**

Diagram



Sectional Details

|                     |         |        |
|---------------------|---------|--------|
| Sash Head           | 50 mm   |        |
| Sash Stile          | 50 mm   |        |
| Sash Btm Rail (int) | 95 mm   | Square |
| Sash Midrail        | 30 mm   |        |
| Sash Thickness      | 36 mm   |        |
| Top Sash Horn       | No horn |        |
| Btm Sash Horn       | No horn |        |



Location

**First Floor LHS Flat 6 living room**

Material  
**Accoya**

Quantity  
**1**  
of shown on drawing

|                 |                           |
|-----------------|---------------------------|
| Glazing Bar     | 20 mm (4 mm Nib)          |
| Profile         | Ovolo                     |
| Moulding Cutter | 6 x 13 with 6 mm shoulder |
| Glazing Rebate  | 8 x 15 mm                 |

Ironmongery  
1 x Fitch Catch PB  
4 x Rola Lock Back Plate Fastener  
2 x Rola Lock Egress PB  
2 x Sash Lift PB

Glazing  
Single Glazed  
Top 4mm Clear Float  
Btm 4mm Clear Float

Dry Seal

Paint Finish  
Internal Standard White  
External Standard White  
Cill Standard White

Production Notes

Installation Notes

Installed: Internally

2 | 13 | 6 | 15

Job Tracking

Order received: 30-10-2023  
Sold by: Andy Macrae  
Surveyed by: Chris Jewiss  
Print date: 21-02-2024  
Last modified date: 21-02-2024

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>22</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

Diagram

The diagram illustrates a 1x1 pair of sashes for a cord-hung sash window. The overall width is 975 mm and the overall height is 1615 mm. The sashes are labeled A1 and A2. The sash head is 50 mm, the sash stile is 50 mm, the sash bottom rail (internal) is 95 mm, the sash midrail is 30 mm, and the sash thickness is 36 mm. The top sash horn is 'No horn' and the bottom sash horn is 'No horn'. The sashes are labeled 'R' on the sides. The panes are 278.4 mm wide and 350 mm high. The sashes are 800 mm high and 845 mm wide. The diagram also shows the sash head, stile, rail, midrail, and thickness. The sashes are labeled 'R' on the sides.

Sectional Details

|                     |         |        |
|---------------------|---------|--------|
| Sash Head           | 50 mm   |        |
| Sash Stile          | 50 mm   |        |
| Sash Btm Rail (int) | 95 mm   | Square |
| Sash Midrail        | 30 mm   |        |
| Sash Thickness      | 36 mm   |        |
| Top Sash Horn       | No horn |        |
| Btm Sash Horn       | No horn |        |

A standard 1D barcode with vertical black bars of varying widths on a white background.

|                                                       |                                                                                                                                                                                                                                   |             |                  |         |       |                 |                           |                |           |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|---------|-------|-----------------|---------------------------|----------------|-----------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | <table><tr><td>Glazing Bar</td><td>20 mm (4 mm Nib)</td></tr><tr><td>Profile</td><td>Ovolo</td></tr><tr><td>Moulding Cutter</td><td>6 x 13 with 6 mm shoulder</td></tr><tr><td>Glazing Rebate</td><td>8 x 15 mm</td></tr></table> | Glazing Bar | 20 mm (4 mm Nib) | Profile | Ovolo | Moulding Cutter | 6 x 13 with 6 mm shoulder | Glazing Rebate | 8 x 15 mm |
| Glazing Bar                                           | 20 mm (4 mm Nib)                                                                                                                                                                                                                  |             |                  |         |       |                 |                           |                |           |
| Profile                                               | Ovolo                                                                                                                                                                                                                             |             |                  |         |       |                 |                           |                |           |
| Moulding Cutter                                       | 6 x 13 with 6 mm shoulder                                                                                                                                                                                                         |             |                  |         |       |                 |                           |                |           |
| Glazing Rebate                                        | 8 x 15 mm                                                                                                                                                                                                                         |             |                  |         |       |                 |                           |                |           |
| Material<br><b>Accoya</b>                             | Quantity<br><b>1</b><br>of shown on drawing                                                                                                                                                                                       |             |                  |         |       |                 |                           |                |           |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br><br>Dry Seal    |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Production Notes                                                                                | Installation Notes<br>Installed: Internally              |
| 2   13   6   15                                                                                 |                                                          |
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>23</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|         |                   |
|---------|-------------------|
| Diagram | Sectional Details |
|---------|-------------------|

|                     |         |        |
|---------------------|---------|--------|
| Sash Head           | 50 mm   |        |
| Sash Stile          | 50 mm   |        |
| Sash Btm Rail (int) | 95 mm   | Square |
| Sash Midrail        | 30 mm   |        |
| Sash Thickness      | 39 mm   |        |
| Top Sash Horn       | No horn |        |
| Btm Sash Horn       | No horn |        |



|                 |                           |
|-----------------|---------------------------|
| Glazing Bar     | 20 mm (4 mm Nib)          |
| Profile         | Ovolo                     |
| Moulding Cutter | 6 x 13 with 10 mm should. |
| Glazing Rebate  | 8 x 14 mm                 |

|                                                       |                                             |
|-------------------------------------------------------|---------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Quantity<br><b>1</b><br>of shown on drawing |
|-------------------------------------------------------|---------------------------------------------|

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Material<br><b>Accoya</b>                                                                                             | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br>Dry Seal        |
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                  |                                             |
|------------------|---------------------------------------------|
| Production Notes | Installation Notes<br>Installed: Internally |
|------------------|---------------------------------------------|


2 | 13 | 10 | 14

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|

# JOINERY DETAIL SHEET

## 1 x 1 Complete New Flush Casement Window (DocL / WER) (Classic)

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>24</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|



|                                                                                    |                           |
|------------------------------------------------------------------------------------|---------------------------|
| Sectional Details                                                                  |                           |
| Jamb Type                                                                          | Solid Profiled            |
| Head                                                                               | 93 x 58 mm                |
| Jamb                                                                               | 93 x 58 mm                |
| Finished Cill                                                                      | 155 x 60 mm (50 mm horn)  |
|  |                           |
| Sash Head                                                                          | 50 mm                     |
| Sash Stile                                                                         | 50 mm                     |
| Sash Btm Rail (int)                                                                | 60 mm Square              |
| Sash Thickness                                                                     | 39 mm                     |
|  |                           |
| Glazing Bar                                                                        | 20 mm (4 mm Nib)          |
| Profile                                                                            | Ovolo                     |
| Moulding Cutter                                                                    | 6 x 13 with 10 mm should. |
| Glazing Rebate                                                                     | 8 x 14 mm                 |

|                                                       |                                             |
|-------------------------------------------------------|---------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Quantity<br><b>1</b><br>of shown on drawing |
|-------------------------------------------------------|---------------------------------------------|

|                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Material<br><b>Accoya sashes,<br/>Tricoya frame, Accoya cill</b>                                                                                    |
| Ironmongery<br>1 x Casement Stay Pin Locking PB<br>1 x Egress Casement Lock PB<br>2 x Hinge Butt PB 3 inch<br>1 x Stay Casement Bulb End PB 12 inch |


|                                                                                           |
|-------------------------------------------------------------------------------------------|
| Glazing<br>Single Glazed                                                                  |
| Case<br>4mm Clear Float                                                                   |
| Dry Seal                                                                                  |
| Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Production Notes                                                                                | Installation Notes<br>Installed: Internally              |
| 2   13   10   14                                                                                |                                                          |
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |

# JOINERY DETAIL SHEET

## 1 x 1 Complete New Flush Casement Window (DocL / WER) (Classic)

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>25</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|



|                                                                                    |                           |
|------------------------------------------------------------------------------------|---------------------------|
| Sectional Details                                                                  |                           |
| Jamb Type                                                                          | Solid Profiled            |
| Head                                                                               | 93 x 58 mm                |
| Jamb                                                                               | 93 x 58 mm                |
| Finished Cill                                                                      | 155 x 60 mm (50 mm horn)  |
|  |                           |
| Sash Head                                                                          | 50 mm                     |
| Sash Stile                                                                         | 50 mm                     |
| Sash Btm Rail (int)                                                                | 60 mm Square              |
| Sash Thickness                                                                     | 39 mm                     |
|  |                           |
| Glazing Bar                                                                        | 20 mm (4 mm Nib)          |
| Profile                                                                            | Ovolo                     |
| Moulding Cutter                                                                    | 6 x 13 with 10 mm should. |
| Glazing Rebate                                                                     | 8 x 14 mm                 |

|                                                       |                                             |
|-------------------------------------------------------|---------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Quantity<br><b>1</b><br>of shown on drawing |
|-------------------------------------------------------|---------------------------------------------|

|                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Material<br><b>Accoya sashes,<br/>Tricoya frame, Accoya cill</b>                                                                                    |
| Ironmongery<br>1 x Casement Stay Pin Locking PB<br>1 x Egress Casement Lock PB<br>2 x Hinge Butt PB 3 inch<br>1 x Stay Casement Bulb End PB 12 inch |

|                                                                                           |
|-------------------------------------------------------------------------------------------|
| Glazing<br>Single Glazed                                                                  |
| Case<br>4mm Clear Float                                                                   |
| Dry Seal                                                                                  |
| Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Production Notes                                                                                | Installation Notes<br>Installed: Internally              |
| 2   13   10   14                                                                                |                                                          |
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>29</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|         |                   |
|---------|-------------------|
| Diagram | Sectional Details |
|---------|-------------------|

Sash Head 50 mm

Sash Stile 50 mm

Sash Btm Rail (int) 95 mm Square

Sash Midrail 30 mm

Sash Thickness 36 mm

Top Sash Horn No horn

Btm Sash Horn No horn

|                                                       |                                           |
|-------------------------------------------------------|-------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Glazing Bar 20 mm (4 mm Nib)              |
| Material<br><b>Accoya</b>                             | Profile Ovolo                             |
| Quantity<br><b>1</b><br>of shown on drawing           | Moulding Cutter 6 x 13 with 6 mm shoulder |
|                                                       | Glazing Rebate 8 x 15 mm                  |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float                    |
|                                                                                                                       | Dry Seal                                                                                  |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                  |                                             |
|------------------|---------------------------------------------|
| Production Notes | Installation Notes<br>Installed: Internally |
|------------------|---------------------------------------------|

2 | 13 | 6 | 15

Job Tracking

Order received: 30-10-2023 Print date: 21-02-2024

Sold by: Andy Macrae

Surveyed by: Chris Jewiss Last modified date: 21-02-2024

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>30</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|         |                   |
|---------|-------------------|
| Diagram | Sectional Details |
|---------|-------------------|

Diagram dimensions:

- Top Sash (A1): Height 393 mm, Width 875 mm
- Bottom Sash (A2): Height 388.5 mm, Width 875 mm
- Frame Width: 975 mm
- Total Height: 1365 mm
- Intermediate Height: 922 mm
- Top Sash Cord Length: 278.4 mm
- Bottom Sash Cord Length: 278.3 mm
- Bottom Sash Cord Length: 797 mm

|                     |         |        |
|---------------------|---------|--------|
| Sash Head           | 50 mm   |        |
| Sash Stile          | 50 mm   |        |
| Sash Btm Rail (int) | 95 mm   | Square |
| Sash Midrail        | 30 mm   |        |
| Sash Thickness      | 36 mm   |        |
| Top Sash Horn       | No horn |        |
| Btm Sash Horn       | No horn |        |



|                                                       |                 |                           |
|-------------------------------------------------------|-----------------|---------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Glazing Bar     | 20 mm (4 mm Nib)          |
| Material<br><b>Accoya</b>                             | Profile         | Ovolo                     |
| Quantity<br><b>1</b><br>of shown on drawing           | Moulding Cutter | 6 x 13 with 6 mm shoulder |
|                                                       | Glazing Rebate  | 8 x 15 mm                 |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br><br>Dry Seal    |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |

|                  |                                             |
|------------------|---------------------------------------------|
| Production Notes | Installation Notes<br>Installed: Internally |
|------------------|---------------------------------------------|


2 | 13 | 6 | 15

|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|

# JOINERY DETAIL SHEET

## 1 x 1 Pair of Sashes to Cord Hung Sash Window

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>31</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

|                                                                                  |                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Diagram                                                                          | Sectional Details                                                                                                                                                                                                                                                                         |
|  | <p>Sash Head 50 mm</p> <p>Sash Stile 50 mm</p> <p>Sash Btm Rail (int) 95 mm Square</p> <p>Sash Midrail 30 mm</p> <p>Sash Thickness 36 mm</p> <p>Top Sash Horn No horn</p> <p>Btm Sash Horn No horn</p>  |

|                                                       |                                           |
|-------------------------------------------------------|-------------------------------------------|
| Location<br><b>First Floor LHS Flat 6 living room</b> | Glazing Bar 20 mm (4 mm Nib)              |
| Material<br><b>Accoya</b>                             | Profile Ovolo                             |
| Quantity<br><b>1</b><br>of shown on drawing           | Moulding Cutter 6 x 13 with 6 mm shoulder |
|                                                       | Glazing Rebate 8 x 15 mm                  |

|                                                                                                                       |                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Ironmongery<br>1 x Fitch Catch PB<br>4 x Rola Lock Back Plate Fastener<br>2 x Rola Lock Egress PB<br>2 x Sash Lift PB | Glazing<br>Single Glazed<br>Top 4mm Clear Float<br>Btm 4mm Clear Float<br><br>Dry Seal    |
|                                                                                                                       | Paint Finish<br>Internal Standard White<br>External Standard White<br>Cill Standard White |


|                                                                                                 |                                                          |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Production Notes                                                                                | Installation Notes<br>Installed: Internally              |
| 2   13   6   15                                                                                 |                                                          |
| Job Tracking<br>Order received: 30-10-2023<br>Sold by: Andy Macrae<br>Surveyed by: Chris Jewiss | Print date: 21-02-2024<br>Last modified date: 21-02-2024 |

# JOINERY DETAIL SHEET

## 1 x 1 Complete New Flush Casement Window (Non DocL) (Classic)

|                                                 |                         |                      |                        |
|-------------------------------------------------|-------------------------|----------------------|------------------------|
| Customer<br><b>Fortside Investments Limited</b> | Job No<br><b>C37337</b> | Item No<br><b>32</b> | Sheet<br><b>1 of 1</b> |
|-------------------------------------------------|-------------------------|----------------------|------------------------|

### Diagram



Flush casement window, Opening out, Viewed internally

### Sectional Details

|                         |                          |
|-------------------------|--------------------------|
| Frame Stop              | Ovolo                    |
| Jamb Type               | Solid Profiled           |
| Head                    | 93 x 58 mm               |
| Jamb                    | 93 x 58 mm               |
| Transom                 | 93 x 70 mm               |
| Finished Cill           | 155 x 70 mm (50 mm horn) |
| Sash Head               | 50 mm                    |
| Sash Stile              | 50 mm                    |
| Fanlight Btm Rail (int) | 60 mm Stepped            |
| Sash Thickness          | 39 mm                    |
| Direct Glazed Unit(s)   |                          |

### Location

**First Floor LHS Flat 6 living room**

### Material

**Accoya sashes,  
Tricoya frame, Accoya cill**

### Quantity

**1**  
of shown on drawing

### Ironmongery

1 x Casement Stay Pin Locking PB  
1 x Egress Casement Lock PB  
2 x Hinge Butt PB 3 inch  
1 x Stay Casement Bulb End PB 12 inch

### Glazing

Single Glazed  
Fan 4mm Clear Float  
DirGU 4mm Clear Float

### Dry Seal

### Paint Finish

Internal Standard White  
External Standard White  
Cill Standard White

### Production Notes

### Installation Notes

Installed: Internally

2 | 13 | 10 | 14

### Job Tracking



Order received: 30-10-2023

Print date: 21-02-2024

Sold by: Andy Macrae

Surveyed by: Chris Jewiss

Last modified date: 21-02-2024