



Notes

- 1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS IN METRES.
- 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS AND SPECIFICATIONS.



NOTES:

1. CONTRACTOR SHOULD VERIFY ALL BOUNDARIES POSITIONS AND DIMENSIONS ON SITE PRIOR TO COMMENCING WORKS OR OBTAINING ANY MATERIALS.
2. ALL WORKMANSHIP AND MATERIALS TO COMPLY WITH THE CURRENT BUILDING REGULATIONS AND ALL RELEVANT BS AND CODE OF PRACTICES.
3. CEILING MOUNTED SMOKE DEFLECTORS INTRELINKED SHOULD BE PERMANENTLY INSTALLED IN ALL LEVEL OF BUILDING. SMOKE DETECTOR TO BE AWAY FROM MINIMUM 300MM, FROM THE LIGHT AND THE WALL FACE. COMPLY WITH BS 5446.
4. ALL STEEL BEAM TO BE TREATED : HR. FIRE RESISTANCE WITH 2 LAYERS OF 12.5 MM PLASTER BOARD AROUND.
5. ALL HABITUAL ROOMS TO HAVE BACKGROUND VENTILATION -8000 SQ. MM. RAPID VENTILATION-1/4 TH OF FLOOR AREA
6. THIS DRAWING DOES NOT INDICATE OR IMPLY THE STRUCTURAL CONDITION OF THE PROPERTY.
7. PARTY WALL NOTICE TO BE SERVED TO ADJOINING NEIGHBOURS BEFORE THE WORK IS CARRIED OUT.
8. ENERGY SAVING LIGHTS FLUORESCENT LAMPS TO BE INSTALLED.
9. WHENEVER RAFTER SPAN EXCEEDS 2.5M MAKE DOUBLED UP RAFTER

Notes

- 1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS IN METRES.
- 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS AND SPECIFICATIONS.

P1	13.06.2021	ST	
Rev.	Date	By	Details of Revision
Client: MR A SINGH			

Project: LOFT CONVERSION WITH REAR DORMER

Address: 69 VALE RD, GRAVESEND, DA11 8DD

Title: SECTION

DESIGN TEAM

8 FARM VALE, BEXLEY, DA6 1NJ

ARCHITECTURAL/CIVIL & STRUCTURAL ENGINEERS

Status: LAWFUL CERTIFICATE

Drawn by	A3@Scales 1:100			
Date	JUN 2021	Eng.	Chk.	App'd.
File Ref.				

Drawing No.	05/DT/06/2021	Sheet No.	5
-------------	---------------	-----------	---