

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 30/06/2026 7:51 PM from [REDACTED]

Application Summary

Address:	Nuralite Industrial Estate Canal Road Higham Rochester Kent ME3 7JA
Proposal:	Application for approval of condition 2, 5, 8, 9, 11 and 12 attached to planning permission reference number 20250721 relating to full details of the road improvements works at the Canal Road / Chequers Street / Church Street /Lower Rochester Road junction (2), full details of the phasing of the development (5), a comprehensive Demolition and Construction Logistics Plan covering all environmental impacts (8), a full Construction Traffic Management Plan (9), an updated preliminary ecological appraisal and review and of the site wide mitigation strategy (11) and a strategy to deal with the potential risks associated with any contamination of the site or the relevant phase (12).
Case Officer:	Mr Richard Hart

[Click for further information](#)

Customer Details

Name:	[REDACTED]
Email:	[REDACTED]
Address:	Chilton Drive Higham Rochester

Comments Details

Commenter Type:	Member of the Public
Stance:	Customer objects to the Planning Application
Reasons for comment:	
Comments:	This is a disaster waiting to happen,this area is not equipped to handle this amount of HGV traffic as the roads are not adequate and the environmental damage to tje area let alone the total inconvenience to the prople of lower and upper higham,plus we all know about the nuralite asbestos problems,I [REDACTED] and i dont want this happening in my village ,yes the nuralite industrial site has been here a long time but this will cause a blot on the landscape to this beautiful part of north kent.

Kind regards