




© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan
Published 1961 - 1962
Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ57NE	TQ67NW
1961	1961
1:10,560	1:10,560
TQ57SE	TQ67SW
1961	1962
1:10,560	1:10,560

Historical Map - Slice A



Order Details
Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details
Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark®
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1966 - 1967



Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ57NE	TQ67NW
1966	1966
1:10,560	1:10,560
TQ57SE	TQ67SW
1967	1966
1:10,560	1:10,560

Historical Map - Slice A




Order Details

Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1973 - 1977


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ57NE	TQ67NW
1977	1974
1:10,000	1:10,000
TQ57SE	TQ67SW
1974	1973
1:10,000	1:10,000

Historical Map - Slice A



Order Details


Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Gravesend

Published 1977


Source map scale - 1:10,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use. They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)

TQ57NE 1977 1:10,000	TQ67NW 1977 1:10,000
TQ57SE 1977 1:10,000	TQ67SW 1977 1:10,000

Russian Map - Slice A



Order Details


Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1980 - 1987



Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ57NE	TQ67NW
1987	1984
1:10,000	1:10,000
TQ57SE	TQ67SW
1984	1980
1:10,000	1:10,000

Historical Map - Slice A



Order Details


Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



London

Published 1985

Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.

They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)

TQ57

1985

1:25,000

Russian Map - Slice A

A21

A22

A23

A24

A25

A16

A17

A18

A19

A20

A11

A12

A13

A14

A15

A6

A7

A8

A9

A10

A1

A2

A3

A4

A5

N

Order Details

Order Number:

305400804_1_1

Customer Ref:

P22526

National Grid Reference:

561310, 175080

Slice:

A

Site Area (Ha):

0.32

Search Buffer (m):

1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark[®]

●●● INFORMATION GROUP

Tel:

0844 844 9952


Fax:

0844 844 9951

Web:

www.envirocheck.co.uk

A Landmark Information Group Service v50.0 03-Jan-2023 Page 21 of 27




Ordnance Survey Plan

Published 1988


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number: 305400804_1_1

Customer Ref: P22526

National Grid Reference: 561310, 175080

Slice: A

Site Area (Ha): 0.32

Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL



© Crown copyright and Landmark Information Group Limited 2023. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1991 - 1993



Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

TQ57NE	TQ67NW
1993	1993
1:10,000	1:10,000
TQ57SE	TQ67SW
1992	1991
1:10,000	1:10,000

Historical Map - Slice A




Order Details

Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark
INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




Ordnance Survey Plan

Published 1994 - 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 1999


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

TQ57NE	TQ67NW
1999	1999
1:10,000	1:10,000
TQ57SE	TQ67SW
1999	1999
1:10,000	1:10,000

Historical Map - Slice A



Order Details

Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright. All Rights Reserved. Licence Number 100022432.

Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

TQ57NE 2006 1:10,000	TQ67NW 2006 1:10,000
TQ57SE 2006 1:10,000	TQ67SW 2006 1:10,000

Historical Map - Slice A



Order Details

Order Number: 305400804_1_1
Customer Ref: P22526
National Grid Reference: 561310, 175080
Slice: A
Site Area (Ha): 0.32
Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL

Landmark®
INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



VectorMap Local


Published 2022

Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities), 1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

TQ57NE 2022 Variable	TQ67NW 2022 Variable
TQ57SE 2022 Variable	TQ67SW 2022 Variable



Order Details

Order Number: 305400804_1_1

Customer Ref: P22526

National Grid Reference: 561310, 175080

Slice: A

Site Area (Ha): 0.32

Search Buffer (m): 1000

Site Details

Unit K7, Northfleet Industrial Estate, Lower Road, Northfleet, GRAVESEND, DA11 9BL



Appendix E: CIRIA Risk Matrix

Risk classification methodology

The method of risk evaluation adopted in this document is consistent with CIRIA C552 (2001). Hence, risk is considered to be a function of both the probability (likelihood) of contamination occurring at the study site and also the potential severity (consequence) of the environmental impacts associated with this contamination.

The classification system used to define contaminant probability, consequence and risk is described in the following tables.

Table A: Classification of probability

Classification	Definition
High Likelihood	There is a contaminant linkage and an event that appears either very likely in the short term and almost inevitable over the long term, or there is evidence at the receptor of harm or pollution.
Likely	There is a contaminant linkage and all the elements are present and in the right place, which means that it is probably that an event will occur. Circumstances are such that an event is not inevitable, but possible in the short term, and likely over the long term.
Low Likelihood	There is a contaminant linkage and circumstances are possible under which an event could occur. However, it is by no means certain that even over a longer period such event would take place, and is less likely in the shorter term.
Unlikely	There is contaminant linkage but circumstances are such that it is improbable that an event would occur even in the long term.

Table B: Classification of consequence

Classification	Receptor	Definition	Examples
Severe	Humans	Short-term (acute) risk to human health likely to result in "significant harm" as defined in the CTL Statutory Guidance	High concentrations of cyanide on the surface of an informal recreation area
	Controlled waters	Short-term risk of pollution (note: Water Resources Act contains no scope for considering significance of pollution) of sensitive water resource	Major spillage of contaminants from site into controlled water
	Property	Catastrophic damage to buildings/property	Explosion, causing building collapse (can also equate to an acute human health risk if buildings are occupied)
	Ecology	A short-term risk to a particular ecosystem, or organism forming part of such eco-system	Potentially long term derogation of a designated site or protected species
Medium	Humans	Chronic damage to human health ("significant harm" as defined in the CTL Statutory Guidance)	Concentrations of a contaminant from a residential site exceed the site-specific assessment criteria
	Controlled waters	Pollution of sensitive water resources (note: Water Resources Act contains no scope for considering significance of pollution)	Leaching of contaminants from a site to a principal or secondary aquifer
	Property	Significant damage to crops, buildings, structures and services	Damage to building rendering it unsafe to occupy (e.g. foundation damage resulting in instability).

Classification	Receptor	Definition	Examples
	Ecology	A significant change in a particular ecosystem	Death of a species within a designated nature reserve
Mild	Humans	Contamination present although unlikely to constitute a significant chronic health risk	Concentrations of a contaminant from a public access site moderately exceed the generic assessment criteria
	Controlled waters	Pollution of non-water resources	Pollution of non-classified groundwater
	Property	Damage to sensitive buildings/structures/services	Aggressive ground conditions leading to potential for long term degradation of buried concrete
	Ecology	Damage to the environment	Localised damage to aquatic habitat causing temporary relocation of certain species
Minor	Humans	Non-permanent health effects to human health (easily prevented by means such as personal protective clothing etc.)	The presence of contaminants at such concentrations that protective equipment is required during site works.
	Controlled waters	Potential minor release of contamination to local water features	Short term or low volume release of potentially polluting material to a secondary surface water course of low existing quality
	Property	Easily reparable effects of damage to buildings, structures and services. Harm which may result in a financial loss, or expenditure to resolve.	The loss of plants in a landscaping scheme. Discolouration of concrete
	Ecology	Short term, localised damage may occur; consequences are spatially and temporally limited	Short term or localised disruption to in situ flora or fauna; no lasting effects

Table C: Risk classification (comparison of consequence and probability)

Probability (likelihood)		Consequence (severity)			
		<i>Severe</i>	<i>Medium</i>	<i>Mild</i>	<i>Minor</i>
	<i>High likelihood</i>	Very high risk	High risk	Moderate risk	Low risk
	<i>Likely</i>	High risk	Moderate risk	Moderate/low risk	Low risk
	<i>Low likelihood</i>	Moderate risk	Moderate/low risk	Low risk	Very low risk
	<i>Unlikely</i>	Moderate/low risk	Low risk	Very low risk	Very low risk