



Notes

© Copyright Alan Baxter Partnership LLP

This drawing & design is the copyright of Alan Baxter Partnership LLP and must not be copied in part or whole without consent.

Do not scale off this drawing

- To be read in conjunction with all Architects and Engineers drawings.
- Level design is based on information from a topographical survey provided by others. Alan Baxter Partnership LLP takes no responsibility for the accuracy of the original topographical survey. All existing levels are to be confirmed by the contractor prior to the commencement of the works.
- All discrepancies to be notified immediately to contract administrator and engineers.
- Only 'Construction' drawings shall be used for construction or the ordering of materials. Any other drawings (tender / billing / work in progress etc.) drawings shall not be used for this purpose.
- All works to be in accordance with Specification for Highway Works and the relevant Local Authority standards.
- C.B.R. values at formation level are to be confirmed on site during construction. Soil stabilisation (Geogrids, Separation membrane etc.) may be required at formation level, subject to C.B.R. test results.
- Any localised soft spots are to be excavated and backfilled with suitably compacted fill material.
- Where the proposed finished levels are above the existing ground level, capping material / suitable fill is to be used, compacted in layers no thicker than 150mm. If material excavated from site is not of a sufficient quality, then material will need to be imported.
- Areas / volumes of surfacing types provided are approximate and should not be used for the purpose of pricing / ordering materials or labour.
- Contractor to avoid clashes with any existing services or infrastructure (any infrastructure to be retained/diverted/abandoned to be done by others and in accordance with Engineering drawings).
- For construction details refer to drawing C104-0700-005.

Key

- Carriageway Type 1 - Tarmac (44m²)
- Carriageway Type 2 - Tie-In (76m²)
- Carriageway Type 3 - Cellular surfacing (Direct Installation)(346m²)
- Carriageway Type 4 - Cellular surfacing (Full Depth) (60m²)

FOR APPROVAL

-				
-				
0	FIRST ISSUE	NC	ARWS	13/02/2026



ALAN BAXTER PARTNERSHIP LLP
CONSULTING STRUCTURAL, CIVIL & DRAINAGE ENGINEERS

T: 01622 744 263
W: www.abpengineers.co.uk
A: The Clock Building, Pymmes Court, Busbridge Road, Loose, Kent, ME15 0H-Z

Project Title:
Convent of Mercy
Hillside Drive
Gravesend
DA12 1NY

Drawing Title:
Road Pavements
General Arrangement

Scale:	1:200 @A1	Do not scale from drawing
Drawing Number:	C1405-0700-001	Rev: 0