TYPICAL MANHIRE DETAIL - TYPE 2 — A

NOTES:

1. THIS DRAWING IS TO BE READ WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND WITH THE SPECIFICATION.
2. DO NOT SCALE FROM THIS DRAWING.
3. REFER TO MANHOLE SCHEDULE FOR REQUIREMENT OF RECESSED COVERS.
4. MAXIMUM DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE 3m.



TYPICAL MANHOLE DETAIL - TYPE 2 (ALTERNATIVE CONSTRUCTION) — B

NOTES:

1. THIS DRAWING IS TO BE READ WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND WITH THE SPECIFICATION.
2. DO NOT SCALE FROM THIS DRAWING.
3. REFER TO MANHOLE SCHEDULE FOR REQUIREMENT OF RECESSED COVERS.
4. MAXIMUM DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE 3m.



TYPICAL PIPE BEDDING DETAILS — C

NOTES:

1. THIS DRAWING IS TO BE READ WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND WITH THE SPECIFICATION.
2. DO NOT SCALE FROM THIS DRAWING.
3. GRANULAR BEDDING TYPE S OR SINTERED PULVERISED FUELASH COMPLYING WITH THE RELEVANT PROVISIONS OF BS 882 AND BS 3797 PART 2 RESPECTIVELY AND TO BE SIZED ACCORDING TO PIPE DIAMETER.



GRANULAR SURROUND
CLASS 'S' BEDDING

TYPICALBACKDROP DETAIL — D

NOTES:

1. THIS DRAWING IS TO BE READ WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND WITH THE SPECIFICATION.
2. DO NOT SCALE FROM THIS DRAWING.



DISCLAIMER NOTE

The Copyright and design right of the design documents and of the design remains that of Manhire Associates Ltd. All copies are only for information about the application, they may not be used for any other purpose or copied without the express written permission of Manhire Associates Ltd.

NOTES:

1. DO NOT SCALE THIS DRAWING.
2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWING ISSUES AND THE SPECIFICATION.

ALL ADOPTABLE DRAINAGE WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH SEWERS FOR ADOPTION 7TH EDITION

REV	DATE	DESCRIPTION	BY
P1	05/01/22	PRELIMINARY ISSUE	RH

DRG STATUS: PRELIMINARY

CLIENT: REEF GROUP

PROJECT: THE CHARTER GRAVESEND

DRG TITLE: S104 ADOPTABLE DRAINAGE DETAILS

Manhire Associates
CONSULTING ENGINEERS

Manhire Associates Limited
Consulting Engineers
Hanover House
76 Coombe Road, Norbiton
Kingston Upon Thames, KT2 7AZ

T: +44 20 8390 9097
F: +44 20 8390 7888
E: enquiries@manhireassociates.co.uk

PROJECT NO	DRG NO	REV	SCALE	
19042	C1053	P1	AS SHOWN	
			DRN: RH	DATE: JAN 22

Gravesham Borough Council