



Appendix G

Visibility Splay Drawings



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

Site Boundary

Topographical Survey

Proposed Design

Visibility Splays

Notes:

1.

Drawing units are in metres unless specified otherwise.

2.

Drawing is based on topographical survey.

3.

Forwards visibility splays are based on parameters for a 30mph design speed, as set out in Manual for Streets Table 7.1 (43m stopping sight distance).

4.

Visibility splay envelope to be kept clear and unobstructed from a height of 0.6m above back of footway level.

A3 SCALE
1:500

0 m15 m
Scale 1:250 @ A3

Drawing Title

Land North of Camer Road, Meopham
Visibility Splays
Site Access Roundabout
Sheet 1 of 4

Client

The McManus Family

Drawing Status

Planning

27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com

ttc

Transportation
Consultancy


VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number

211206-11

Revision

A



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

- Site Boundary
- Topographical Survey
- Proposed Design
- Visibility Splays
- Land to be Safeguarded for Visibility

Notes:

- Drawing units are in metres unless specified otherwise.
- Drawing is based on topographical survey.
- Forwards visibility splays are based on parameters for a 30mph design speed, as set out in Manual for Streets Table 7.1 (43m stopping sight distance).

A3 SCALE
1:250

0 m 15 m
Scale 1:250 @ A3

Drawing Title
Land North of Camer Road, Meopham
Visibility Splays
Norwood Lane Junction
Sheet 2 of 4


Client
The McManus Family

Drawing Status
Planning

27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com

ttc
Transportation
Consultancy
VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number 211206-11	Revision A
-----------------------------	---------------



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

Site Boundary

 Topographical Survey

Notes:

1.

 Drawing units are in metres unless specified otherwise.

2.

 Drawing is based on topographical survey.

3.

 Forwards visibility splays are based on parameters for a 30mph design speed, as set out in Manual for Streets Table 7.1 (43m stopping sight distance).

A3 SCALE
1:500

0 m30 m
Scale 1:500 @ A3

Drawing Title

Land North of Camer Road, Meopham
Visibility Splays
Camer Road Pedestrian Crossing 1
Sheet 3 of 4

Client

The McManus Family

Drawing Status

Planning

27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com

ttc

Transportation
Consultancy


VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number

211206-11

Revision

A



Date of 1st Issue
09/02/26

Description
First Issue

Drawn by
SBu

Checked by
RS

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

Site Boundary

Topographical Survey

Proposed Design

Notes:

1.

Drawing units are in metres unless specified otherwise.

2.

Drawing is based on topographical survey.

3.

Forwards visibility splays are based on parameters for a 30mph design speed, as set out in Manual for Streets Table 7.1 (43m stopping sight distance).

A3 SCALE
1:500

0 m30 m
Scale 1:500 @ A3

Drawing Title

Land North of Camer Road, Meopham
Visibility Splays
Camer Road Pedestrian Crossing 2
Sheet 4 of 4

Client

The McManus Family

Drawing Status

Planning

27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com

ttc

Transportation
Consultancy

VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number


211206-11

Revision

A

Appendix H

Swept Path Analysis



Date of 1st Issue
09/02/26

Description
Rev A

Drawn by
SBu

Checked by
RS

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

Site Boundary

Topographical Survey

Proposed Design

Vehicle Body

Notes:

1.

Drawing units are in metres unless specified otherwise.

2.

Drawing is based on topographical survey.

12.00

2.80

6.00

Rigid Bus

Width : 2.55

Track : 2.35

Lock to Lock Time : 6.0

Steering Angle : 50.6

A3 SCALE
1:1000

0 m

50 m

Scale 1:1000 @ A3

Drawing Title

Land North of Camer Road, Meopham

Swept Path Analysis

Site Access Roundabout - Bus

Sheet 2 of 6

Client

The McManus Family

Drawing Status

Planning

27 Park Street

Leamington Spa

CV32 4QN

E: info@ttc-tp.com

ttc

Transportation

Consultancy





VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number

211206-10

Revision

A



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS


Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

-  Site Boundary
-  Topographical Survey
-  Proposed Design
-  Vehicle Body
-  Vehicle Wheels

Notes:


1. Drawing units are in metres unless specified otherwise.
2. Drawing is based on topographical survey.



Fire Rescue Unit
meters

Width	: 2.50	Lock to Lock Time	: 6.0
Track	: 2.50	Steering Angle	: 34.3

A3 SCALE
1:1000



Drawing Title

Drawing title

Land North of Camer Road, Meopham
Swept Path Analysis
Site Access Roundabout - Fire Tender
Sheet 3 of 6

Client	
--------	--

The McManus Family

Drawing Status

Planning

27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com





Drawing Number

211206-10

Revision

A



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

Site Boundary

Topographical Survey

Proposed Design

Vehicle Body

Vehicle Wheels

Notes:

1. Drawing units are in metres unless specified otherwise.

2. Drawing is based on topographical survey.

12.00

2.80

6.00

Rigid Bus

meters

Width : 2.55

Track : 2.35

Lock to Lock Time : 6.0

Steering Angle : 50.6

A3 SCALE
1:250

0 m15 m
Scale 1:250 @ A3

Drawing Title

Land North of Camer Road, Meopham

Swept Path Analysis

Norwood Lane Junction - Bus

Sheet 4 of 6

Client

The McManus Family

Drawing Status

Planning



27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com

ttc

Transportation
Consultancy

VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number	211206-10	Revision	A
----------------	-----------	----------	---



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS

Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

Site Boundary

Topographical Survey

Proposed Design

Vehicle Body

Vehicle Wheels

Notes:

1. Drawing units are in metres unless specified otherwise.

2. Drawing is based on topographical survey.

8.29

1.324.79

Fire Rescue Unit

Width : 2.50 meters

Track : 2.50

Lock to Lock Time : 6.0

Steering Angle : 34.3

0 m15 m

A3 SCALE1:250Scale 1:250 @ A3

Drawing Title

Land North of Camer Road, Meopham

Swept Path Analysis

Emergency Access - Fire Tender

Sheet 5 of 6

Client

The McManus Family

Drawing Status

Planning

27 Park Street

Leamington Spa

CV32 4QN

E: info@ttc-tp.com



ttc

Transportation

Consultancy

VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number	211206-10	Revision	A
----------------	-----------	----------	---



Date of 1st Issue 09/02/26	Description Rev A	Drawn by SBu	Checked by RS
-------------------------------	----------------------	-----------------	------------------

REVISIONS				
Mark	Revision	Drawn	Date	Chkd
A	Updated client	SBu	19/02/26	RS

Key:

- Site Boundary
- Topographical Survey
- Proposed Design
- Vehicle Body
- Vehicle Wheels

Notes:

- Drawing units are in metres unless specified otherwise.
- Drawing is based on topographical survey.

Fire Rescue Unit

Width	: 2.50	Lock to Lock Time	: 6.0
Track	: 2.50	Steering Angle	: 34.3

A3 SCALE

1:250

0 m

15 m

Scale 1:250 @ A3

Drawing Title

Land North of Camer Road, Meopham

Swept Path Analysis

Emergency Access - Fire Tender

Sheet 6 of 6

Client

The McManus Family

Drawing Status

Planning

27 Park Street
Leamington Spa
CV32 4QN
E: info@ttc-tp.com

VALUE · EXCEED · TRUST · EXCELLENCE · CLARITY

Drawing Number	211206-10	Revision	A
----------------	-----------	----------	---



Appendix I

Trip Rate Reports

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Filtering Summary:

Land Use: 07/Q LEISURE/COMMUNITY CENTRE	
Selected Trip Rate Calculation Parameter Range: 100 - 1800 sqm GFA	
Actual Trip Rate Calculation Parameter Range: N/A sqm GFA	
Date Range: Minimum: 01/01/2016 Maximum: 23/04/2024	
Parking Spaces Range: All Surveys Selected	
Population Within 500m Range: 1650 2745	
Days of the week selected:	
Thursday	2
Main Location Types selected:	
Edge of Town	1
Edge of Town Centre	1
Inclusion of Servicing Vehicles Counts:	
Servicing Vehicle Excluded	1
Servicing Vehicles Included	1
Population <1 Mile ranges selected:	
5,001 to 10,000	2

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Population <5 Mile ranges selected:

25,001 to 50,000	1
5,001 to 25,000	1

Car Ownership <5 Mile ranges selected:

0.6 to 1.0	1
1.1 to 1.5	1

PTAL Rating:

No PTAL Present	2
-----------------	---

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use: 07 - LEISURE

Category: Q - COMMUNITY CENTRE

Total Vehicles

Selected regions and areas:

04	EAST ANGLIA		
	CA	CAMBRIDGESHIRE	1 day
13	MUNSTER		
	TI	TIPPERARY	1 day

This section displays the number of survey days per TRICS® sub-region in the selected set.

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Primary Filtering Selection:

This data displays the chosen trip rate parameter and its selected range. Only sites that fall within the parameter range are included in the trip rate calculation.

Parameter:	GFA
Actual Range:	0.07 to 0.37 (units:sqm)
Range Selected by User:	100 to 1800 (units:sqm)
Parking Spaces Range:	3 - 70

Public Transport Provision:

Selection by:	All Surveys Included
Date Range:	01/01/16 to 23/04/24

This data displays the range of survey dates selected. Only surveys that were conducted within this date range are included in the trip rate calculation.

Selected survey days:

Thursday	2 days
----------	--------

This data displays the number of selected surveys by day of the week.

Selected survey types:

Manual count	2
Direction ATC Count	0

This data displays the number of manual classified surveys and the number of unclassified ATC surveys, the total adding up to the overall number of surveys in the selected set. Manual surveys are undertaken using staff, whilst ATC surveys are undertaken using machines

Selected Locations:

Edge of Town	1 days
Edge of Town Centre	1 days

This data displays the number of surveys per main location category within the selected set. The main location categories consist of Free Standing, Edge of Town, Suburban Area, Neighbourhood Centre, Edge of Town Centre, Town Centre and Not Known.

Selected Location Sub Categories:

High Street	1 days
Residential Zone	1 days

This data displays the number of surveys per location sub-category within the selected set. The location sub-categories consist of Commercial Zone, Industrial Zone, Development Zone, Residential Zone, Retail Zone, Built-Up Zone, Village, Out of Town, High Street and No Sub Category.

Inclusion of Servicing Vehicle Counts:

Servicing vehicles Excluded	1 days
Servicing vehicles Included	1 days

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Secondary Filtering Selection:

Use Class:

F2(b)	2 surveys
-------	-----------

This data displays the number of surveys per Use Class classification within the selected set. The Use Classes Order (England) 2020 has been used for this purpose, which can be found within the Library module of TRICS®.

Population within 500m Range:

95 - 3962

Population within 1 mile:

5,001 to 10,000	2 surveys
-----------------	-----------

This data displays the number of selected surveys within stated 1-mile radii of population.

Population within 5 miles:

25,001 to 50,000	1 surveys
5,001 to 25,000	1 surveys

This data displays the number of selected surveys within stated 5-mile radii of population.

Car ownership within 5 miles:

0.6 to 1.0	1 surveys
1.1 to 1.5	1 surveys

This data displays the number of selected surveys within stated ranges of average cars owned per residential dwelling, within a radius of 5-miles of selected survey sites.

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Petrol filling station:

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Travel Plan:

No 2 surveys

This data displays the number of surveys within the selected set that were undertaken at sites with Travel Plans in place, and the number of surveys that were undertaken at sites without Travel Plans.

PTAL Rating:

No PTAL Present 2 surveys

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

COVID-19 Restrictions:

No

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

LIST OF SITES relevant to selection parameters:

Site 1:	CA-07-Q-02	Site area:	0.37 hect
Development Name:	COMMUNITY CENTRE	Gross floor area:	629 sqm
Location:	CAMBOURNE	Number Of Employees:	7
Postcode:	CB23 6GW	Survey Date:	07/06/2018
Main Location Type:	Edge of Town Centre	Survey Day:	Thursday
Sub Location Type:	High Street		
PTAL:	n/a		
Site 2:	TI-07-Q-01	Site area:	0.07 hect
Development Name:	COMMUNITY CENTRE	Gross floor area:	160 sqm
Location:	NENAGH	Number Of Employees:	3
Postcode:	E45 K309	Survey Date:	13/10/2022
Main Location Type:	Edge of Town	Survey Day:	Thursday
Sub Location Type:	Residential Zone		
PTAL:	n/a		

DESELECTED SURVEYS

Site Ref	Survey Date	Reason for Deselection
DL-07-Q-01	23-11-2016	Site location not comparable
EC-07-Q-01	07-11-2017	Site location not comparable
NY-07-Q-01	10-05-2017	Site location not comparable

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

TRIP RATE for Land Use 07 - LEISURE/Q - COMMUNITY CENTRE

Total Vehicles

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	1	629	0.318	0.000	0.318
08:00-09:00	2	394	1.521	0.000	1.521
09:00-10:00	2	394	1.521	0.887	2.408
10:00-11:00	2	394	0.887	0.507	1.394
11:00-12:00	2	394	0.253	1.521	1.774
12:00-13:00	2	394	0.380	0.634	1.014
13:00-14:00	2	394	0.127	0.127	0.254
14:00-15:00	2	394	0.507	0.380	0.887
15:00-16:00	2	394	1.394	0.634	2.028
16:00-17:00	2	394	0.253	0.760	1.013
17:00-18:00	2	394	2.408	1.521	3.929
18:00-19:00	2	394	1.267	0.253	1.520
19:00-20:00	2	394	1.141	3.802	4.943
20:00-21:00	2	394	0.000	0.887	0.887
21:00-22:00	1	160	0.000	0.000	0.000
22:00-23:00					
23:00-00:00					
Total Rates:			11.977	11.913	23.890

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Parameter Summary:

Trip rate parameter range selected:	100 - 1800 (units: sqm)
Survey date date range:	07/06/2018 - 13/10/2022
Number of weekdays (Monday-Friday):	2
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

TRIP RATE for Land Use 07 - LEISURE/Q - COMMUNITY CENTRE

Total People

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	1	629	0.318	0.000	0.318
08:00-09:00	2	394	3.549	0.127	3.676
09:00-10:00	2	394	8.999	2.028	11.027
10:00-11:00	2	394	3.169	2.028	5.197
11:00-12:00	2	394	1.141	9.252	10.393
12:00-13:00	2	394	1.014	1.901	2.915
13:00-14:00	2	394	0.634	0.380	1.014
14:00-15:00	2	394	0.634	1.141	1.775
15:00-16:00	2	394	4.309	1.521	5.830
16:00-17:00	2	394	0.380	2.028	2.408
17:00-18:00	2	394	5.830	3.295	9.125
18:00-19:00	2	394	4.183	0.760	4.943
19:00-20:00	2	394	3.042	10.520	13.562
20:00-21:00	2	394	0.000	2.155	2.155
21:00-22:00	1	160	0.000	0.000	0.000
22:00-23:00					
23:00-00:00					
Total Rates:			37.202	37.136	74.338

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Parameter Summary:

Trip rate parameter range selected:	100 - 1800 (units: sqm)
Survey date date range:	07/06/2018 - 13/10/2022
Number of weekdays (Monday-Friday):	2
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are shown. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

TRIP RATE for Land Use 07 - LEISURE/Q - COMMUNITY CENTRE

OGVs

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	1	629	0.000	0.000	0.000
08:00-09:00	2	394	0.000	0.000	0.000
09:00-10:00	2	394	0.000	0.000	0.000
10:00-11:00	2	394	0.000	0.000	0.000
11:00-12:00	2	394	0.000	0.000	0.000
12:00-13:00	2	394	0.000	0.000	0.000
13:00-14:00	2	394	0.000	0.000	0.000
14:00-15:00	2	394	0.000	0.000	0.000
15:00-16:00	2	394	0.000	0.000	0.000
16:00-17:00	2	394	0.000	0.000	0.000
17:00-18:00	2	394	0.000	0.000	0.000
18:00-19:00	2	394	0.000	0.000	0.000
19:00-20:00	2	394	0.000	0.000	0.000
20:00-21:00	2	394	0.000	0.000	0.000
21:00-22:00	1	160	0.000	0.000	0.000
22:00-23:00					
23:00-00:00					
Total Rates:			0.000	0.000	0.000

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP \times FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Parameter Summary:

Trip rate parameter range selected:	100 - 1800 (units: sqm)
Survey date date range:	N/A - N/A
Number of weekdays (Monday-Friday):	0
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

TRIP RATE for Land Use 07 - LEISURE/Q - COMMUNITY CENTRE

LGVs

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	1	629	0.000	0.000	0.000
08:00-09:00	2	394	0.000	0.000	0.000
09:00-10:00	2	394	0.000	0.000	0.000
10:00-11:00	2	394	0.000	0.000	0.000
11:00-12:00	2	394	0.000	0.000	0.000
12:00-13:00	2	394	0.000	0.000	0.000
13:00-14:00	2	394	0.000	0.000	0.000
14:00-15:00	2	394	0.000	0.000	0.000
15:00-16:00	2	394	0.000	0.000	0.000
16:00-17:00	2	394	0.000	0.000	0.000
17:00-18:00	2	394	0.000	0.000	0.000
18:00-19:00	2	394	0.000	0.000	0.000
19:00-20:00	2	394	0.000	0.000	0.000
20:00-21:00	2	394	0.000	0.000	0.000
21:00-22:00	1	160	0.000	0.000	0.000
22:00-23:00					
23:00-00:00					
Total Rates:			0.000	0.000	0.000

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP \times FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 9384b47e-9804-4537-ae12-b3c6c6860b79

Parameter Summary:

Trip rate parameter range selected:	100 - 1800 (units: sqm)
Survey date date range:	N/A - N/A
Number of weekdays (Monday-Friday):	0
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Filtering Summary:

Land Use: 01/I RETAIL/SHOPPING CENTRE - LOCAL SHOPS	
Selected Trip Rate Calculation Parameter Range: 200 - 3394 sqm GFA	
Actual Trip Rate Calculation Parameter Range: N/A sqm GFA	
Date Range: Minimum: 01/01/2016 Maximum: 17/06/2024	
Parking Spaces Range: All Surveys Selected	
Population Within 500m Range: 1603 2118	
Days of the week selected:	
Tuesday	2
Main Location Types selected:	
Suburban Area (PPS6 Out of Centre)	2
Inclusion of Servicing Vehicles Counts:	
Servicing Vehicle Excluded	1
Servicing Vehicles Included	1
Population <1 Mile ranges selected:	
15,001 to 20,000	1
25,001 to 50,000	1

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Population <5 Mile ranges selected:

100,001 to 125,000	1
75,001 to 100,000	1

Car Ownership <5 Mile ranges selected:

1.1 to 1.5	1
1.6 to 2.0	1

PTAL Rating:

No PTAL Present	2
-----------------	---

Audit Code: 53528944-6232-412f-a62c-457e8413224a

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use: 01 - RETAIL

Category: I - SHOPPING CENTRE - LOCAL SHOPS

Total Vehicles

Selected regions and areas:

07	YORKSHIRE & NORTH LINCOLNSHIRE	
	DR	DONCASTER
		1 day
09	NORTH	
	CU	CUMBERLAND
		1 day
12	CONNAUGHT	
	GA	GALWAY
		1 day

This section displays the number of survey days per TRICS® sub-region in the selected set.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Primary Filtering Selection:

This data displays the chosen trip rate parameter and its selected range. Only sites that fall within the parameter range are included in the trip rate calculation.

Parameter:	GFA
Actual Range:	200 to 1645 (units:sqm)
Range Selected by User:	200 to 3394 (units:sqm)
Parking Spaces Range:	0 - 120

Public Transport Provision:

Selection by:	All Surveys Included
Date Range:	01/01/16 to 17/06/24

This data displays the range of survey dates selected. Only surveys that were conducted within this date range are included in the trip rate calculation.

Selected survey days:

Friday	1 days
Tuesday	2 days

This data displays the number of selected surveys by day of the week.

Selected survey types:

Manual count	3
Direction ATC Count	0

This data displays the number of manual classified surveys and the number of unclassified ATC surveys, the total adding up to the overall number of surveys in the selected set. Manual surveys are undertaken using staff, whilst ATC surveys are undertaken using machines

Selected Locations:

Neighbourhood Centre (PPS6 Local Centre)	1 days
Suburban Area (PPS6 Out of Centre)	2 days

This data displays the number of surveys per main location category within the selected set. The main location categories consist of Free Standing, Edge of Town, Suburban Area, Neighbourhood Centre, Edge of Town Centre, Town Centre and Not Known.

Selected Location Sub Categories:

Residential Zone	3 days
------------------	--------

This data displays the number of surveys per location sub-category within the selected set. The location sub-categories consist of Commercial Zone, Industrial Zone, Development Zone, Residential Zone, Retail Zone, Built-Up Zone, Village, Out of Town, High Street and No Sub Category.

Inclusion of Servicing Vehicle Counts:

Servicing vehicles Excluded	2 days
Servicing vehicles Included	1 days

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Secondary Filtering Selection:

Use Class:

N/A	3 surveys
-----	-----------

This data displays the number of surveys per Use Class classification within the selected set. The Use Classes Order (England) 2020 has been used for this purpose, which can be found within the Library module of TRICS®.

Population within 500m Range:

981 - 2118

Population within 1 mile:

15,001 to 20,000	1 surveys
20,001 to 25,000	1 surveys
25,001 to 50,000	1 surveys

This data displays the number of selected surveys within stated 1-mile radii of population.

Population within 5 miles:

100,001 to 125,000	1 surveys
125,001 to 250,000	1 surveys
75,001 to 100,000	1 surveys

This data displays the number of selected surveys within stated 5-mile radii of population.

Car ownership within 5 miles:

1.1 to 1.5	2 surveys
1.6 to 2.0	1 surveys

This data displays the number of selected surveys within stated ranges of average cars owned per residential dwelling, within a radius of 5-miles of selected survey sites.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Petrol filling station:

Unknown 3 surveys

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Travel Plan:

No 3 surveys

This data displays the number of surveys within the selected set that were undertaken at sites with Travel Plans in place, and the number of surveys that were undertaken at sites without Travel Plans.

PTAL Rating:

No PTAL Present 3 surveys

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

COVID-19 Restrictions:

No

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

LIST OF SITES relevant to selection parameters:

Site 1:	CU-01-I-02	Gross floor area:	704 sqm
Development Name:	LOCAL SHOPS	Retail floor area:	402 sqm
Location:	CARLISLE	Number of employees:	43
Postcode:	CA2 7EX	Survey Date:	18/06/2024
Main Location Type:	Suburban Area (PPS6 Out of Centre)	Survey Day:	Tuesday
Sub Location Type:	Residential Zone		
PTAL:	n/a		
Site 2:	DR-01-I-01	Gross floor area:	1645 sqm
Development Name:	LOCAL SHOPS	Retail floor area:	1300 sqm
Location:	DONCASTER	Number of employees:	40
Postcode:	DN4 6JG	Survey Date:	17/09/2021
Main Location Type:	Neighbourhood Centre (PPS6 Local Centre)	Survey Day:	Friday
Sub Location Type:	Residential Zone		
PTAL:	n/a		
Site 3:	GA-01-I-02	Gross floor area:	200 sqm
Development Name:	LOCAL SHOPS	Retail floor area:	115 sqm
Location:	GALWAY	Number of employees:	10
Postcode:	H91 A56V	Survey Date:	09/04/2024
Main Location Type:	Suburban Area (PPS6 Out of Centre)	Survey Day:	Tuesday
Sub Location Type:	Residential Zone		
PTAL:	n/a		

DESELECTED SURVEYS

Site Ref	Survey Date	Reason for Deselection
CR-01-I-01	23-03-2018	Site location not comparable
CS-01-I-01	05-09-2023	Development type not comparable
SE-01-I-01	22-06-2023	Site location not comparable

Audit Code: 53528944-6232-412f-a62c-457e8413224a

TRIP RATE for Land Use 01 - RETAIL/I - SHOPPING CENTRE - LOCAL SHOPS

Total Vehicles

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00	1	704	0.000	0.000	0.000
06:00-07:00	2	1174	0.894	0.639	1.533
07:00-08:00	3	850	1.059	0.785	1.844
08:00-09:00	3	850	3.413	3.099	6.512
09:00-10:00	3	850	3.374	3.021	6.395
10:00-11:00	3	850	3.845	3.727	7.572
11:00-12:00	3	850	3.766	3.531	7.297
12:00-13:00	3	850	3.335	3.138	6.473
13:00-14:00	3	850	4.708	4.355	9.063
14:00-15:00	3	850	3.845	4.590	8.435
15:00-16:00	3	850	3.845	3.962	7.807
16:00-17:00	3	850	4.433	4.080	8.513
17:00-18:00	3	850	4.198	5.139	9.337
18:00-19:00	3	850	3.609	3.884	7.493
19:00-20:00	3	850	3.295	3.256	6.551
20:00-21:00	3	850	1.883	2.040	3.923
21:00-22:00	3	850	1.530	1.726	3.256
22:00-23:00	2	452	0.885	0.996	1.881
23:00-00:00	1	704	0.426	0.568	0.994
Total Rates:			52.343	52.536	104.879

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Parameter Summary:

Trip rate parameter range selected:	200 - 3394 (units: sqm)
Survey date date range:	17/09/2021 - 18/06/2024
Number of weekdays (Monday-Friday):	3
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

TRIP RATE for Land Use 01 - RETAIL/I - SHOPPING CENTRE - LOCAL SHOPS

Total People

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00	1	704	0.000	0.000	0.000
06:00-07:00	2	1174	1.064	0.724	1.788
07:00-08:00	3	850	1.687	1.295	2.982
08:00-09:00	3	850	6.042	5.139	11.181
09:00-10:00	3	850	4.825	4.394	9.219
10:00-11:00	3	850	5.767	5.845	11.612
11:00-12:00	3	850	5.806	5.453	11.259
12:00-13:00	3	850	5.767	5.728	11.495
13:00-14:00	3	850	7.375	6.826	14.201
14:00-15:00	3	850	7.297	7.729	15.026
15:00-16:00	3	850	6.905	6.630	13.535
16:00-17:00	3	850	6.944	7.022	13.966
17:00-18:00	3	850	7.258	8.199	15.457
18:00-19:00	3	850	6.238	6.591	12.829
19:00-20:00	3	850	5.335	5.689	11.024
20:00-21:00	3	850	3.884	4.276	8.160
21:00-22:00	3	850	1.922	2.550	4.472
22:00-23:00	2	452	1.438	1.549	2.987
23:00-00:00	1	704	0.426	0.852	1.278
Total Rates:			85.980	86.491	172.471

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Parameter Summary:

Trip rate parameter range selected:	200 - 3394 (units: sqm)
Survey date date range:	17/09/2021 - 18/06/2024
Number of weekdays (Monday-Friday):	3
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

TRIP RATE for Land Use 01 - RETAIL/I - SHOPPING CENTRE - LOCAL SHOPS

OGVs

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00	1	704	0.000	0.000	0.000
06:00-07:00	2	1174	0.000	0.000	0.000
07:00-08:00	3	850	0.039	0.039	0.078
08:00-09:00	3	850	0.000	0.000	0.000
09:00-10:00	3	850	0.000	0.000	0.000
10:00-11:00	3	850	0.039	0.039	0.078
11:00-12:00	3	850	0.039	0.039	0.078
12:00-13:00	3	850	0.039	0.039	0.078
13:00-14:00	3	850	0.000	0.000	0.000
14:00-15:00	3	850	0.000	0.000	0.000
15:00-16:00	3	850	0.000	0.000	0.000
16:00-17:00	3	850	0.000	0.000	0.000
17:00-18:00	3	850	0.000	0.000	0.000
18:00-19:00	3	850	0.000	0.000	0.000
19:00-20:00	3	850	0.000	0.000	0.000
20:00-21:00	3	850	0.000	0.000	0.000
21:00-22:00	3	850	0.000	0.000	0.000
22:00-23:00	2	452	0.111	0.000	0.111
23:00-00:00	1	704	0.000	0.142	0.142
Total Rates:			0.267	0.298	0.565

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Parameter Summary:

Trip rate parameter range selected:	200 - 3394 (units: sqm)
Survey date date range:	09/04/2024 - 18/06/2024
Number of weekdays (Monday-Friday):	2
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 53528944-6232-412f-a62c-457e8413224a

TRIP RATE for Land Use 01 - RETAIL/I - SHOPPING CENTRE - LOCAL SHOPS

LGVs

Calculation factor: 100 sqm

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. GFA	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00	1	704	0.000	0.000	0.000
06:00-07:00	2	1174	0.000	0.000	0.000
07:00-08:00	3	850	0.196	0.157	0.353
08:00-09:00	3	850	0.235	0.235	0.470
09:00-10:00	3	850	0.275	0.275	0.550
10:00-11:00	3	850	0.628	0.549	1.177
11:00-12:00	3	850	0.275	0.314	0.589
12:00-13:00	3	850	0.392	0.314	0.706
13:00-14:00	3	850	0.353	0.314	0.667
14:00-15:00	3	850	0.353	0.510	0.863
15:00-16:00	3	850	0.196	0.157	0.353
16:00-17:00	3	850	0.275	0.275	0.550
17:00-18:00	3	850	0.039	0.078	0.117
18:00-19:00	3	850	0.157	0.196	0.353
19:00-20:00	3	850	0.157	0.157	0.314
20:00-21:00	3	850	0.118	0.118	0.236
21:00-22:00	3	850	0.039	0.039	0.078
22:00-23:00	2	452	0.111	0.111	0.222
23:00-00:00	1	704	0.000	0.000	0.000
Total Rates:			3.799	3.799	7.598

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP \times FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: 53528944-6232-412f-a62c-457e8413224a

Parameter Summary:

Trip rate parameter range selected:	200 - 3394 (units: sqm)
Survey date date range:	17/09/2021 - 18/06/2024
Number of weekdays (Monday-Friday):	3
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	3
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Filtering Summary:

Land Use: 03/M RESIDENTIAL/MIXED PRIVATE/NON-PRIVATE HOUSING

Selected Trip Rate Calculation Parameter Range: 49 - 700 DWELLS

Actual Trip Rate Calculation Parameter Range: N/A DWELLS

Date Range: Minimum: 1/1/2020 Maximum: 10/6/2024

Parking Spaces Range: All Surveys Selected

Parking Spaces Per Dwelling Range: All Surveys Selected

Bedrooms Per Dwelling Range: All Surveys Selected

Percentage of Dwellings Privately Owned: All Surveys Selected

Population Within 500m Range: 350 3000

Days of the week selected:

Monday	3
Thursday	5
Tuesday	3
Wednesday	11

Main Location Types selected:

Edge of Town	10
Neighbourhood Centre (PPS6 Local Centre)	12

Inclusion of Servicing Vehicles Counts:

Servicing Vehicle Excluded	22
----------------------------	----

Population <1 Mile ranges selected:

1,001 to 5,000	9
10,001 to 15,000	4
5,001 to 10,000	9

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Population <5 Mile ranges selected:

125,001 to 250,000	6
25,001 to 50,000	6
5,001 to 25,000	1
50,001 to 75,000	5
75,001 to 100,000	4

Car Ownership <5 Mile ranges selected:

0.6 to 1.0	2
1.1 to 1.5	17
1.6 to 2.0	3

PTAL Rating:

No PTAL Present	22
-----------------	----

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use: 03 - RESIDENTIAL

Category: M - MIXED PRIVATE/NON-PRIVATE HOUSING

Total Vehicles

Selected regions and areas:

02	SOUTH EAST	
	CT	CENTRAL BEDFORDSHIRE
	ES	EAST SUSSEX
	HC	HAMPSHIRE
	HF	HERTFORDSHIRE
	OX	OXFORDSHIRE
	SC	SURREY
	WS	WEST SUSSEX
03	SOUTH WEST	
	WL	WILTSHIRE
04	EAST ANGLIA	
	NF	NORFOLK

This section displays the number of survey days per TRICS® sub-region in the selected set.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Primary Filtering Selection:

This data displays the chosen trip rate parameter and its selected range. Only sites that fall within the parameter range are included in the trip rate calculation.

Parameter:	DWELLS
Actual Range:	2.5 to 54.2 (units:DWELLS)
Range Selected by User:	49 to 700 (units:DWELLS)
Parking Spaces Range:	11 - 1368

Public Transport Provision:

Selection by:	All Surveys Included
Date Range:	01/01/20 to 06/10/24

This data displays the range of survey dates selected. Only surveys that were conducted within this date range are included in the trip rate calculation.

Selected survey days:

Monday	3 days
Thursday	5 days
Tuesday	3 days
Wednesday	11 days

This data displays the number of selected surveys by day of the week.

Selected survey types:

Manual count	22
Direction ATC Count	0

This data displays the number of manual classified surveys and the number of unclassified ATC surveys, the total adding up to the overall number of surveys in the selected set. Manual surveys are undertaken using staff, whilst ATC surveys are undertaken using machines

Selected Locations:

Edge of Town	10 days
Neighbourhood Centre (PPS6 Local Centre)	12 days

This data displays the number of surveys per main location category within the selected set. The main location categories consist of Free Standing, Edge of Town, Suburban Area, Neighbourhood Centre, Edge of Town Centre, Town Centre and Not Known.

Selected Location Sub Categories:

Residential Zone	10 days
Village	12 days

This data displays the number of surveys per location sub-category within the selected set. The location sub-categories consist of Commercial Zone, Industrial Zone, Development Zone, Residential Zone, Retail Zone, Built-Up Zone, Village, Out of Town, High Street and No Sub Category.

Inclusion of Servicing Vehicle Counts:

Servicing vehicles Excluded	22 days
-----------------------------	---------

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Secondary Filtering Selection:

Use Class:

C3	22 surveys
----	------------

This data displays the number of surveys per Use Class classification within the selected set. The Use Classes Order (England) 2020 has been used for this purpose, which can be found within the Library module of TRICS®.

Population within 500m Range:

10 - 5774

Population within 1 mile:

1,001 to 5,000	9 surveys
10,001 to 15,000	4 surveys
5,001 to 10,000	9 surveys

This data displays the number of selected surveys within stated 1-mile radii of population.

Population within 5 miles:

125,001 to 250,000	6 surveys
25,001 to 50,000	6 surveys
5,001 to 25,000	1 surveys
50,001 to 75,000	5 surveys
75,001 to 100,000	4 surveys

This data displays the number of selected surveys within stated 5-mile radii of population.

Car ownership within 5 miles:

0.6 to 1.0	2 surveys
1.1 to 1.5	17 surveys
1.6 to 2.0	3 surveys

This data displays the number of selected surveys within stated ranges of average cars owned per residential dwelling, within a radius of 5-miles of selected survey sites.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Petrol filling station:

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Travel Plan:

Yes 22 surveys

This data displays the number of surveys within the selected set that were undertaken at sites with Travel Plans in place, and the number of surveys that were undertaken at sites without Travel Plans.

PTAL Rating:

No PTAL Present 22 surveys

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

COVID-19 Restrictions:

No

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

LIST OF SITES relevant to selection parameters:

Site 1:	CT-03-M-01	Site area (sqm):	3.39
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	75
Location:	SHEFFORD	Housing density:	223
Postcode:	SG17 5FA	Total Bedrooms:	220
Main Location Type:	Edge of Town	Survey Date:	6/28/2023
Sub Location Type:	Residential Zone	Survey Day:	Wednesday
PTAL:	N/A		
Site 2:	ES-03-M-21	Site area (sqm):	20.57
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	392
Location:	HAILSHAM	Housing density:	994
Postcode:	BN27 4FR	Total Bedrooms:	1136
Main Location Type:	Edge of Town	Survey Date:	3/28/2022
Sub Location Type:	Residential Zone	Survey Day:	Monday
PTAL:	N/A		
Site 3:	HC-03-M-17	Site area (sqm):	12.18
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	275
Location:	ALTON	Housing density:	719
Postcode:	GU34 2FR	Total Bedrooms:	781
Main Location Type:	Edge of Town	Survey Date:	10/12/2022
Sub Location Type:	Residential Zone	Survey Day:	Wednesday
PTAL:	N/A		
Site 4:	HF-03-M-05	Site area (sqm):	8.5
Development Name:	TERRACED & DETACHED	No of Dwellings:	149
Location:	SAWBRIDGEWORTH	Housing density:	325
Postcode:	CM21 0DW	Total Bedrooms:	443
Main Location Type:	Edge of Town	Survey Date:	11/23/2023
Sub Location Type:	Residential Zone	Survey Day:	Thursday
PTAL:	N/A		
Site 5:	NF-03-M-42	Site area (sqm):	7.6
Development Name:	MIXED HOUSES	No of Dwellings:	120
Location:	HOVETON	Housing density:	320
Postcode:	NR12 8GP	Total Bedrooms:	332
Main Location Type:	Neighbourhood Centre	Survey Date:	9/16/2021
Sub Location Type:	Village	Survey Day:	Thursday
PTAL:	N/A		
Site 6:	NF-03-M-43	Site area (sqm):	4.46
Development Name:	MIXED HOUSES	No of Dwellings:	100
Location:	NEAR NORWICH	Housing density:	257
Postcode:	NR14 7UP	Total Bedrooms:	329
Main Location Type:	Neighbourhood Centre	Survey Date:	9/21/2021
Sub Location Type:	Village	Survey Day:	Tuesday
PTAL:	N/A		
Site 7:	NF-03-M-51	Site area (sqm):	3.8
Development Name:	MIXED HOUSES	No of Dwellings:	120
Location:	HARLESTON	Housing density:	166
Postcode:	IP20 9GE	Total Bedrooms:	341
Main Location Type:	Edge of Town	Survey Date:	9/29/2021
Sub Location Type:	Residential Zone	Survey Day:	Wednesday
PTAL:	N/A		

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Site 8:	NF-03-M-55	Site area (sqm):	6.78
Development Name:	MIXED HOUSES	No of Dwellings:	150
Location:	NEAR NORWICH	Housing density:	395
Postcode:	NR14 7TS	Total Bedrooms:	442
Main Location Type:	Neighbourhood Centre	Survey Date:	9/28/2022
Sub Location Type:	Village	Survey Day:	Wednesday
PTAL:	N/A		
Site 9:	NF-03-M-59	Site area (sqm):	6.63
Development Name:	MIXED HOUSES	No of Dwellings:	153
Location:	WYMONDHAM	Housing density:	361
Postcode:	NR18 0GB	Total Bedrooms:	441
Main Location Type:	Edge of Town	Survey Date:	9/29/2022
Sub Location Type:	Residential Zone	Survey Day:	Thursday
PTAL:	N/A		
Site 10:	NF-03-M-61	Site area (sqm):	13.35
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	180
Location:	NEAR NORWICH	Housing density:	484
Postcode:	NR14 8FQ	Total Bedrooms:	553
Main Location Type:	Neighbourhood Centre	Survey Date:	9/28/2022
Sub Location Type:	Village	Survey Day:	Wednesday
PTAL:	N/A		
Site 11:	NF-03-M-63	Site area (sqm):	4.45
Development Name:	MIXED HOUSES	No of Dwellings:	100
Location:	NORTH WALSHAM	Housing density:	256
Postcode:	NR28 0FW	Total Bedrooms:	268
Main Location Type:	Edge of Town	Survey Date:	9/21/2022
Sub Location Type:	Residential Zone	Survey Day:	Wednesday
PTAL:	N/A		
Site 12:	OX-03-M-02	Site area (sqm):	4.03
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	117
Location:	OXFORD	Housing density:	270
Postcode:	OX2 8FF	Total Bedrooms:	314
Main Location Type:	Neighbourhood Centre	Survey Date:	10/20/2021
Sub Location Type:	Village	Survey Day:	Wednesday
PTAL:	N/A		
Site 13:	OX-03-M-03	Site area (sqm):	6.79
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	197
Location:	OXFORD	Housing density:	370
Postcode:	OX2 8FF	Total Bedrooms:	542
Main Location Type:	Neighbourhood Centre	Survey Date:	10/30/2023
Sub Location Type:	Village	Survey Day:	Monday
PTAL:	N/A		
Site 14:	SC-03-M-10	Site area (sqm):	2.86
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	108
Location:	GODALMING	Housing density:	224
Postcode:	GU7 2FL	Total Bedrooms:	249
Main Location Type:	Edge of Town	Survey Date:	6/9/2022
Sub Location Type:	Residential Zone	Survey Day:	Thursday
PTAL:	N/A		
Site 15:	SC-03-M-11	Site area (sqm):	2.5
Development Name:	SEMI-DETACHED & FLATS	No of Dwellings:	110
Location:	CRANLEIGH	Housing density:	223
Postcode:	GU6 8LW	Total Bedrooms:	260
Main Location Type:	Neighbourhood Centre	Survey Date:	10/17/2022
Sub Location Type:	Village	Survey Day:	Monday
PTAL:	N/A		

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Site 16:	SC-03-M-13	Site area (sqm):	3.85
Development Name:	DETACHED HOUSES & FLATS	No of Dwellings:	168
Location:	OXTED	Housing density:	337
Postcode:	RH8 9BF	Total Bedrooms:	479
Main Location Type:	Edge of Town	Survey Date:	11/22/2022
Sub Location Type:	Residential Zone	Survey Day:	Tuesday
PTAL:	N/A		
Site 17:	WL-03-M-04	Site area (sqm):	22
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	544
Location:	NEAR SALISBURY	Housing density:	1368
Postcode:	SP4 6BW	Total Bedrooms:	1488
Main Location Type:	Neighbourhood Centre	Survey Date:	11/18/2021
Sub Location Type:	Village	Survey Day:	Thursday
PTAL:	N/A		
Site 18:	WS-03-M-23	Site area (sqm):	3.96
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	99
Location:	CHICHESTER	Housing density:	238
Postcode:	PO18 0PB	Total Bedrooms:	265
Main Location Type:	Neighbourhood Centre	Survey Date:	10/13/2021
Sub Location Type:	Village	Survey Day:	Wednesday
PTAL:	N/A		
Site 19:	WS-03-M-25	Site area (sqm):	4.8
Development Name:	MIXED HOUSES	No of Dwellings:	110
Location:	BRACKLESHAM BAY	Housing density:	278
Postcode:	PO20 8JB	Total Bedrooms:	296
Main Location Type:	Edge of Town	Survey Date:	11/24/2021
Sub Location Type:	Residential Zone	Survey Day:	Wednesday
PTAL:	N/A		
Site 20:	WS-03-M-27	Site area (sqm):	54.2
Development Name:	MIXED HOUSES	No of Dwellings:	292
Location:	NEAR CRAWLEY	Housing density:	558
Postcode:	RH10 3YR	Total Bedrooms:	914
Main Location Type:	Neighbourhood Centre	Survey Date:	11/22/2023
Sub Location Type:	Village	Survey Day:	Wednesday
PTAL:	N/A		
Site 21:	WS-03-M-28	Site area (sqm):	3.96
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	99
Location:	CHICHESTER	Housing density:	238
Postcode:	PO18 0PB	Total Bedrooms:	265
Main Location Type:	Neighbourhood Centre	Survey Date:	10/11/2023
Sub Location Type:	Village	Survey Day:	Wednesday
PTAL:	N/A		
Site 22:	WS-03-M-29	Site area (sqm):	7.9
Development Name:	MIXED HOUSES & FLATS	No of Dwellings:	193
Location:	SOUTHWATER	Housing density:	491
Postcode:	RH13 9FZ	Total Bedrooms:	574
Main Location Type:	Neighbourhood Centre	Survey Date:	3/5/2024
Sub Location Type:	Village	Survey Day:	Tuesday
PTAL:	N/A		

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

TRIP RATE for Land Use 03 - RESIDENTIAL/M - MIXED PRIVATE/NON-PRIVATE HOUSING

Total Vehicles

Calculation factor: 1 DWELLS

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. DWELLS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	22	175	0.096	0.307	0.403
08:00-09:00	22	175	0.159	0.387	0.546
09:00-10:00	22	175	0.141	0.146	0.287
10:00-11:00	22	175	0.116	0.134	0.250
11:00-12:00	22	175	0.128	0.127	0.255
12:00-13:00	22	175	0.139	0.135	0.274
13:00-14:00	22	175	0.143	0.136	0.279
14:00-15:00	22	175	0.149	0.175	0.324
15:00-16:00	22	175	0.265	0.177	0.442
16:00-17:00	22	175	0.284	0.171	0.455
17:00-18:00	22	175	0.317	0.161	0.478
18:00-19:00	22	175	0.227	0.133	0.360
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			2.164	2.189	4.353

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP \times FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Parameter Summary:

Trip rate parameter range selected:	49 - 700 (units: DWELLS)
Survey date date range:	16/09/2021 - 05/03/2024
Number of weekdays (Monday-Friday):	22
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	0
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

TRIP RATE for Land Use 03 - RESIDENTIAL/M - MIXED PRIVATE/NON-PRIVATE HOUSING

Total People

Calculation factor: 1 DWELLS

**BOLD print indicates peak (busiest) period*

Time Range	No. Days	Ave. DWELLS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	22	175	0.137	0.508	0.645
08:00-09:00	22	175	0.247	0.842	1.089
09:00-10:00	22	175	0.200	0.229	0.429
10:00-11:00	22	175	0.169	0.211	0.380
11:00-12:00	22	175	0.186	0.191	0.377
12:00-13:00	22	175	0.211	0.214	0.425
13:00-14:00	22	175	0.217	0.210	0.427
14:00-15:00	22	175	0.244	0.276	0.520
15:00-16:00	22	175	0.640	0.284	0.924
16:00-17:00	22	175	0.528	0.279	0.807
17:00-18:00	22	175	0.511	0.259	0.770
18:00-19:00	22	175	0.365	0.219	0.584
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			3.655	3.722	7.377

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Parameter Summary:

Trip rate parameter range selected:	49 - 700 (units: DWELLS)
Survey date date range:	16/09/2021 - 05/03/2024
Number of weekdays (Monday-Friday):	22
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	0
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

TRIP RATE for Land Use 03 - RESIDENTIAL/M - MIXED PRIVATE/NON-PRIVATE HOUSING

OGVs

Calculation factor: 1 DWELLS

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. DWELLS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	22	175	0.002	0.002	0.004
08:00-09:00	22	175	0.003	0.003	0.006
09:00-10:00	22	175	0.002	0.003	0.005
10:00-11:00	22	175	0.002	0.001	0.003
11:00-12:00	22	175	0.001	0.001	0.002
12:00-13:00	22	175	0.001	0.002	0.003
13:00-14:00	22	175	0.002	0.001	0.003
14:00-15:00	22	175	0.001	0.001	0.002
15:00-16:00	22	175	0.001	0.001	0.002
16:00-17:00	22	175	0.001	0.001	0.002
17:00-18:00	22	175	0.001	0.001	0.002
18:00-19:00	22	175	0.000	0.000	0.000
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			0.017	0.017	0.034

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Parameter Summary:

Trip rate parameter range selected:	49 - 700 (units: DWELLS)
Survey date date range:	21/09/2021 - 05/03/2024
Number of weekdays (Monday-Friday):	17
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	0
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

TRIP RATE for Land Use 03 - RESIDENTIAL/M - MIXED PRIVATE/NON-PRIVATE HOUSING

LGVs

Calculation factor: 1 DWELLS

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. DWELLS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	22	175	0.011	0.034	0.045
08:00-09:00	22	175	0.017	0.028	0.045
09:00-10:00	22	175	0.019	0.018	0.037
10:00-11:00	22	175	0.019	0.020	0.039
11:00-12:00	22	175	0.021	0.018	0.039
12:00-13:00	22	175	0.025	0.024	0.049
13:00-14:00	22	175	0.020	0.022	0.042
14:00-15:00	22	175	0.018	0.018	0.036
15:00-16:00	22	175	0.022	0.018	0.040
16:00-17:00	22	175	0.037	0.018	0.055
17:00-18:00	22	175	0.029	0.014	0.043
18:00-19:00	22	175	0.013	0.010	0.023
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			0.251	0.242	0.493

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: 20afa215-1b67-4cc7-a6b5-4fddc812b478

Parameter Summary:

Trip rate parameter range selected:	49 - 700 (units: DWELLS)
Survey date date range:	16/09/2021 - 05/03/2024
Number of weekdays (Monday-Friday):	22
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	0
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Filtering Summary:

Land Use: 04/A EDUCATION/PRIMARY

Selected Trip Rate Calculation Parameter Range: 38 - 720 PUPILS

Actual Trip Rate Calculation Parameter Range: N/A PUPILS

Date Range: Minimum: 1/1/2016 Maximum: 6/19/2024

Parking Spaces Range: All Surveys Selected

Population Within 500m Range: 1058 2550

Days of the week selected:

Tuesday	1
Wednesday	2

Main Location Types selected:

Edge of Town	2
Neighbourhood Centre (PPS6 Local Centre)	1

Inclusion of Servicing Vehicles Counts:

Servicing Vehicle Excluded	1
Servicing Vehicles Included	2

Population <1 Mile ranges selected:

1,001 to 5,000	2
5,001 to 10,000	1

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Population <5 Mile ranges selected:

125,001 to 250,000	1
25,001 to 50,000	1
5,001 to 25,000	1

Car Ownership <5 Mile ranges selected:

0.6 to 1.0	1
1.1 to 1.5	2

PTAL Rating:

No PTAL Present	3
-----------------	---

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

TRIP RATE CALCULATION SELECTION PARAMETERS:

Land Use: 04 - EDUCATION

Category: A - PRIMARY

Total Vehicles

Selected regions and areas:

02	SOUTH EAST		
	HC	HAMPSHIRE	1 day
03	SOUTH WEST		
	WL	WILTSHIRE	1 day
13	MUNSTER		
	CL	CLARE	1 day

This section displays the number of survey days per TRICS® sub-region in the selected set.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Primary Filtering Selection:

This data displays the chosen trip rate parameter and its selected range. Only sites that fall within the parameter range are included in the trip rate calculation.

Parameter:	PUPILS
Actual Range:	880 to 2970 (units:PUPILS)
Range Selected by User:	38 to 720 (units:PUPILS)
Parking Spaces Range:	0 - 127

Public Transport Provision:

Selection by:	All Surveys Included
Date Range:	01/01/16 to 19/06/24

This data displays the range of survey dates selected. Only surveys that were conducted within this date range are included in the trip rate calculation.

Selected survey days:

Tuesday	1 days
Wednesday	2 days

This data displays the number of selected surveys by day of the week.

Selected survey types:

Manual count	3
Direction ATC Count	0

This data displays the number of manual classified surveys and the number of unclassified ATC surveys, the total adding up to the overall number of surveys in the selected set. Manual surveys are undertaken using staff, whilst ATC surveys are undertaken using machines

Selected Locations:

Edge of Town	2 days
Neighbourhood Centre (PPS6 Local Centre)	1 days

This data displays the number of surveys per main location category within the selected set. The main location categories consist of Free Standing, Edge of Town, Suburban Area, Neighbourhood Centre, Edge of Town Centre, Town Centre and Not Known.

Selected Location Sub Categories:

Residential Zone	2 days
Village	1 days

This data displays the number of surveys per location sub-category within the selected set. The location sub-categories consist of Commercial Zone, Industrial Zone, Development Zone, Residential Zone, Retail Zone, Built-Up Zone, Village, Out of Town, High Street and No Sub Category.

Inclusion of Servicing Vehicle Counts:

Servicing vehicles Excluded	1 days
Servicing vehicles Included	2 days

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Secondary Filtering Selection:

Use Class:

F1(a)	3 surveys
-------	-----------

This data displays the number of surveys per Use Class classification within the selected set. The Use Classes Order (England) 2020 has been used for this purpose, which can be found within the Library module of TRICS®.

Population within 500m Range:

1058 - 2550

Population within 1 mile:

1,001 to 5,000	2 surveys
5,001 to 10,000	1 surveys

This data displays the number of selected surveys within stated 1-mile radii of population.

Population within 5 miles:

125,001 to 250,000	1 surveys
25,001 to 50,000	1 surveys
5,001 to 25,000	1 surveys

This data displays the number of selected surveys within stated 5-mile radii of population.

Car ownership within 5 miles:

0.6 to 1.0	1 surveys
1.1 to 1.5	2 surveys

This data displays the number of selected surveys within stated ranges of average cars owned per residential dwelling, within a radius of 5-miles of selected survey sites.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Petrol filling station:

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Travel Plan:

No	2 surveys
Yes	1 surveys

This data displays the number of surveys within the selected set that were undertaken at sites with Travel Plans in place, and the number of surveys that were undertaken at sites without Travel Plans.

PTAL Rating:

No PTAL Present	3 surveys
-----------------	-----------

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

COVID-19 Restrictions:

No

This data displays the number of surveys within the selected set that include petrol filling station activity, and the number of surveys that do not.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

LIST OF SITES relevant to selection parameters:

Site 1:	CL-04-A-01	Gross floor area:	880 sqm
Development Name:	BOYS NATIONAL SCHOOL	Number of pupils:	119 PUPILS
Location:	KILLALOE	Number Of Employees:	18
Postcode:	V94 D590	Survey Date:	12/10/2022
Main Location Type:	Edge of Town	Survey Day:	Wednesday
Sub Location Type:	Residential Zone		
PTAL:	n/a		
Site 2:	HC-04-A-01	Gross floor area:	2970 sqm
Development Name:	PRIMARY SCHOOL	Number of pupils:	274 PUPILS
Location:	WHITELEY	Number Of Employees:	42
Postcode:	PO15 7QE	Survey Date:	27/06/2023
Main Location Type:	Edge of Town	Survey Day:	Tuesday
Sub Location Type:	Residential Zone		
PTAL:	n/a		
Site 3:	WL-04-A-02	Gross floor area:	1750 sqm
Development Name:	C OF E PRIMARY ACADEMY	Number of pupils:	199 PUPILS
Location:	ROWDE	Number Of Employees:	27
Postcode:	SN10 2ND	Survey Date:	03/04/2019
Main Location Type:	Neighbourhood Centre (PPS6 Local Centre)	Survey Day:	Wednesday
Sub Location Type:	Village		
PTAL:	n/a		

DESELECTED SURVEYS

Site Ref	Survey Date	Reason for Deselection
SM-04-A-01	27-09-2018	Location not comparable
TV-04-A-02	23-05-2022	Location not comparable

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

TRIP RATE for Land Use 04 - EDUCATION/A - PRIMARY

Total Vehicles

Calculation factor: 1 PUPILS

**BOLD print indicates peak (busiest) period*

Time Range	No. Days	Ave. PUPILS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	3	197	0.051	0.024	0.075
08:00-09:00	3	197	0.348	0.299	0.647
09:00-10:00	3	197	0.063	0.069	0.132
10:00-11:00	3	197	0.052	0.032	0.084
11:00-12:00	3	197	0.030	0.035	0.065
12:00-13:00	3	197	0.030	0.015	0.045
13:00-14:00	3	197	0.066	0.083	0.149
14:00-15:00	3	197	0.106	0.100	0.206
15:00-16:00	3	197	0.204	0.240	0.444
16:00-17:00	3	197	0.076	0.111	0.187
17:00-18:00	2	196	0.056	0.089	0.145
18:00-19:00	2	196	0.000	0.008	0.008
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			1.082	1.105	2.187

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Parameter Summary:

Trip rate parameter range selected:	38 - 720 (units: PUPILS)
Survey date date range:	03/04/2019 - 27/06/2023
Number of weekdays (Monday-Friday):	3
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	2
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

TRIP RATE for Land Use 04 - EDUCATION/A - PRIMARY

Total People

Calculation factor: 1 PUPILS

**BOLD print indicates peak (busiest) period*

Time Range	No. Days	Ave. PUPILS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	3	197	0.086	0.027	0.113
08:00-09:00	3	197	1.032	0.463	1.495
09:00-10:00	3	197	0.149	0.157	0.306
10:00-11:00	3	197	0.073	0.042	0.115
11:00-12:00	3	197	0.057	0.051	0.108
12:00-13:00	3	197	0.073	0.049	0.122
13:00-14:00	3	197	0.186	0.166	0.352
14:00-15:00	3	197	0.230	0.274	0.504
15:00-16:00	3	197	0.380	0.782	1.162
16:00-17:00	3	197	0.110	0.289	0.399
17:00-18:00	2	196	0.163	0.229	0.392
18:00-19:00	2	196	0.000	0.031	0.031
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			2.539	2.560	5.099

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Parameter Summary:

Trip rate parameter range selected:	38 - 720 (units: PUPILS)
Survey date date range:	03/04/2019 - 27/06/2023
Number of weekdays (Monday-Friday):	3
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	2
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are shown. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

TRIP RATE for Land Use 04 - EDUCATION/A - PRIMARY

OGVs

Calculation factor: 1 PUPILS

*BOLD print indicates peak (busiest) period

Time Range	No. Days	Ave. PUPILS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	3	197	0.000	0.000	0.000
08:00-09:00	3	197	0.002	0.002	0.004
09:00-10:00	3	197	0.000	0.000	0.000
10:00-11:00	3	197	0.000	0.000	0.000
11:00-12:00	3	197	0.000	0.000	0.000
12:00-13:00	3	197	0.000	0.000	0.000
13:00-14:00	3	197	0.000	0.000	0.000
14:00-15:00	3	197	0.000	0.000	0.000
15:00-16:00	3	197	0.000	0.000	0.000
16:00-17:00	3	197	0.000	0.000	0.000
17:00-18:00	2	196	0.000	0.000	0.000
18:00-19:00	2	196	0.000	0.000	0.000
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			0.002	0.002	0.004

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]



Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Parameter Summary:

Trip rate parameter range selected:	38 - 720 (units: PUPILS)
Survey date date range:	03/04/2019 - 03/04/2019
Number of weekdays (Monday-Friday):	1
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	2
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are shown. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

TRIP RATE for Land Use 04 - EDUCATION/A - PRIMARY

LGVs

Calculation factor: 1 PUPILS

**BOLD print indicates peak (busiest) period*

Time Range	No. Days	Ave. PUPILS	Arrivals	Departures	Totals
00:00-01:00					
01:00-02:00					
02:00-03:00					
03:00-04:00					
04:00-05:00					
05:00-06:00					
06:00-07:00					
07:00-08:00	3	197	0.002	0.002	0.004
08:00-09:00	3	197	0.008	0.007	0.015
09:00-10:00	3	197	0.005	0.003	0.008
10:00-11:00	3	197	0.003	0.003	0.006
11:00-12:00	3	197	0.005	0.007	0.012
12:00-13:00	3	197	0.002	0.003	0.005
13:00-14:00	3	197	0.007	0.002	0.009
14:00-15:00	3	197	0.000	0.003	0.003
15:00-16:00	3	197	0.000	0.002	0.002
16:00-17:00	3	197	0.000	0.000	0.000
17:00-18:00	2	196	0.000	0.000	0.000
18:00-19:00	2	196	0.000	0.000	0.000
19:00-20:00					
20:00-21:00					
21:00-22:00					
22:00-23:00					
23:00-00:00					
Total Rates:			0.032	0.032	0.064

This section displays the trip rate results based on the selected set of surveys and the selected count type (shown just above the table). It is split by three main columns, representing arrivals trips, departures trips, and total trips (arrivals plus departures). Within each of these main columns are three sub-columns. These display the number of survey days where count data is included (per time period), the average value of the selected trip rate calculation parameter (per time period), and the trip rate result (per time period). Total trip rates (the sum of the column) are also displayed at the foot of the table.

To obtain a trip rate, the average (mean) trip rate parameter value (TRP) is first calculated for all selected survey days that have count data available for the stated time period. The average (mean) number of arrivals, departures or totals (whichever applies) is also calculated (COUNT) for all selected survey days that have count data available for the stated time period. Then, the average count is divided by the average trip rate parameter value, and multiplied by the stated calculation factor (shown just above the table and abbreviated here as FACT). So, the method is: $COUNT/TRP*FACT$. Trip rates are then rounded to 3 decimal places.

The survey data, graphs and all associated supporting information, contained within the TRICS Database are published by TRICS Consortium Limited ("the Company") and the Company claims copyright and database rights in this published work. The Company authorises those who possess a current TRICS licence to access the TRICS Database and copy the data contained within the TRICS Database for the licence holders' use only. Any resulting copy must retain all copyrights and other proprietary notices, and any disclaimer contained thereon.

The Company accepts no responsibility for loss which may arise from reliance on data contained in the TRICS Database. [No warranty of any kind, express or implied, is made as to the data contained in the TRICS Database.]

Audit Code: f402c54c-6fb5-4f23-897a-b82de9e0dda3

Parameter Summary:

Trip rate parameter range selected:	38 - 720 (units: PUPILS)
Survey date date range:	03/04/2019 - 27/06/2023
Number of weekdays (Monday-Friday):	3
Number of Saturdays:	0
Number of Sundays:	0
Surveys automatically removed from selection:	2
Surveys manually removed from selection:	0

This section displays a quick summary of some of the data filtering selections made by the TRICS® user. The trip rate calculation parameter range of all selected surveys is displayed first, followed by the range of minimum and maximum survey dates selected by the user. Then, the total number of selected weekdays and weekend days in the selected set of surveys are show. Finally, the number of survey days that have been manually removed from the selected set outside of the standard filtering procedure are displayed.