

Application: 20250750

**TOWN AND COUNTRY PLANNING ACT 1990
THE TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT PROCEDURE)
(ENGLAND) ORDER 2015 (AS AMENDED)**

NOTIFICATION OF GRANT OF PERMISSION TO DEVELOP LAND
--

To: -
**C/O Rolfe Judd Planning
Old Church Court
Claylands Road
Oval
London
SW8 1NZ**

TAKE NOTICE that the **GRAVESHAM BOROUGH COUNCIL**, the Local Planning Authority under the Town and Country Planning Acts, has **GRANTED PERMISSION** for development of land situate at:

**British Gas Property Division
Gas Holder
Canal Road
Gravesend
Kent**

and being **Application for variation of condition 2 attached to planning permission reference number 20240960 for change of use to open storage (Use Class B8) with associated works, cycle and car parking; to allow replacement of Flood Risk Assessment & SuDS Strategy Report (FRA20197.1) and Drawing No. AR-XX-XX-XX-DR-0001-003 Rev. D - Proposed Site Plan with revised documents/plans.** Your application dated 25th July 2025 is permitted subject to the following:-

Time Limit

1. The development to which this permission relates must be completed no later than the 19 March 2028

Reason In pursuance of Section 91 of the Town and Country Planning Act 1990, as amended by Section 51 of the Planning and Compulsory Purchase Act 2004.

Approved Plans and Documents

2. The development hereby permitted shall be carried out only in precise accordance with the following schedule of approved plans:
 - Application Form - dated 21 October 2024;
 - Covering Letter by Rolfe Judd - dated 18 October 2024;
 - Planning, Design and Access Statement by Rolfe Judd (dated 18 October 2024);
 - Agent of Change Principle Assessment by Rolfe Judd (dated 16 January 2024);

- Transport Statement by SLR (Vectos (South) Limited - dated 20 March 2024;
- Air Quality Technical Note by The PES (dated 25 March 2024);
- Noise Impact Assessment (ref. J643_R01) by ALN acoustic design - dated 20 March 2024;
- Flood Risk Assessment & SuDS Strategy Report (FRA20197.1) by The PES - dated 11th July 2025;
- Ground Condition Desk Top Study by GCC - dated March 2024;
- Drawing no. AR-XX-XX-XX-DR-0001-001 - Site Location Plan (scale - 1:1250);
- Drawing no. AR-XX-XX-XX-DR-0001-002 - Existing Site Plan (scale - 1:500);
- Drawing no. AR-XX-XX-XX-DR-0001-003 - REV I - Proposed Site Plan (scale - 1:500).

Reason In order to ensure the development is implemented on the basis of the scheme as submitted and assessed in the interests of proper planning and in accordance with Policy CS19 (Development and Design Principles) of the Gravesham Local Plan Core Strategy (September 2014).

Pre-Commencement Conditions

Contaminated Land

3. No development approved by this permission shall be commenced prior to a contaminated land assessment (in accordance with the CLEA guidelines and CLR 11 methodology) and if necessary an associated remedial strategy, together with a timetable of works, being submitted to the Local Planning Authority for approval.
 - a) A Phase II site investigation, based on the findings of the 'Ground Condition Desk Top Study' by GCC dated March 2024 (Report Ref: J24-012-R0), including relevant soil, soil gas, surface and groundwater sampling, shall be carried out by a suitably qualified and accredited consultant/contractor in accordance with a Quality Assured sampling and analysis methodology.
 - b) A site investigation report detailing all investigative works and sampling on site, together with the results of analysis, risk assessment to any receptors and a proposed remediation strategy shall be submitted to the Local Planning Authority. The Local Planning Authority shall approve such remedial works as required prior to any remediation commencing on site. The works shall be of such a nature so as to render harmless the identified contamination given the proposed end-use of the site and surrounding environment including any controlled waters.
 - c) Approved remediation works shall be carried out in full on site under a quality assurance scheme to demonstrate compliance with the proposed methodology and best practice guidance). If during any works contamination is encountered which has not previously been identified then the additional contamination shall be fully assessed and an appropriate remediation scheme agreed with the Local Planning Authority.
 - d) Upon completion of the works, this condition shall not be discharged until a closure report has been submitted to and approved by the Local Planning Authority. The closure report shall include details of the proposed remediation works and the quality assurance certificates to show that the works have been carried out in full in accordance with the approved methodology. Details of any post remediation sampling and analysis to show the site has reached the required clean-up criteria shall be included in the closure report together with the necessary documentation detailing what waste materials have been removed from the site.
 - e) Where applicable, a monitoring and maintenance scheme to include monitoring the long-term effectiveness of the proposed remediation over an agreed period of time, and the provision of reports on the same, must be prepared and approved in writing by the local planning authority.

Following completion of the measures identified in that scheme, and when the remediation objectives have been achieved, reports that demonstrate the effectiveness of the monitoring and maintenance carried out must be produced and submitted to the Local Planning Authority.

Reason To ensure that the development does not contribute to, or is not put at unacceptable risk from, or adversely affected by, unacceptable levels of water pollution in line with paragraph 187 of the National Planning Policy Framework (2024) and to accord with Policy CS19 of the Gravesham Local Plan Core Strategy (September 2014).

Construction Environmental Management Plan (CEMP)

4. Prior to the commencement of the development a CEMP shall be submitted to and approval in writing by the Local Planning Authority. The construction of the development shall then be carried out in accordance with the approved CEMP. Reference should be made to guidance including the BS5228 Noise Vibration and Control on Construction and Open Sites, the Control of dust from construction sites (BRE DTi Feb 2003) and Institute of Air Quality Management (IAQM) 'Guidance on the Assessment of Dust from Demolition and Construction Version 2.2 January 2024.

The CEMP shall include:

- An indicative programme for carrying out the works
- Measures to minimise the production of dust on the site(s) within a Dust Management Plan
- Measures to minimise the noise (including vibration) generated by the construction process to include the careful selection of plant and machinery and use of noise mitigation barrier(s)
- Design and provision of site hoardings
- Management of traffic visiting the site(s) including temporary parking or holding areas or Provision of off road parking for all site operatives
- Measures to prevent the transfer of mud and extraneous material onto the public highway
- Measures to manage the production of waste and to maximise the re-use of materials
- Measures to minimise the potential for pollution of groundwater and surface water
- The location and design of site office(s) and storage compounds
- The location of temporary vehicle access points to the site(s) during the construction works
- The arrangements for public consultation and liaison during the construction works

Reason To ensure that a suitable programme of all works is set out from the commencement of development, to demonstrate that the free flow of traffic on the highway and to minimise the impact on local residents and businesses, in accordance with policies CS11, CS12 and CS19 of the Gravesham's Local Plan: Core Strategy (September 2014).

Surface Water Drainage Scheme

5. Development shall not begin in any phase until a detailed sustainable surface water drainage scheme for the site has been submitted to (and approved in writing by) the local planning authority. The detailed drainage scheme shall be based upon the FRA and SuDS Strategy Report prepared by PES dated 11.07.2025. The submitted scheme shall demonstrate compliance with the required technical standards at the time of submission and shall demonstrate that the surface water generated by this development (for all rainfall durations and intensities up to and including the climate change adjusted critical 100 year storm) can be accommodated and disposed of without increase to flood risk on or off-site.

The detailed drainage scheme will also be required to demonstrate that any existing surface water flow paths can be accommodated and disposed of without increase to flood risk on or off site.

The drainage scheme shall also demonstrate (with reference to published guidance):

- that silt and pollutants resulting from the site use can be adequately managed to ensure there is no pollution risk to receiving waters.
- appropriate operational, maintenance and access requirements for each drainage feature or SuDS component are adequately considered, including any proposed arrangements for future adoption by any public body or statutory undertaker.

The drainage scheme shall be implemented in accordance with the approved details.

Reason To ensure the development is served by satisfactory arrangements for the disposal of surface water and to ensure that the development does not exacerbate the risk of on/off site flooding in accordance with paragraph 182 of the National Planning Policy Framework (2024). These details and accompanying calculations are required prior to the commencement of the development as they form an intrinsic part of the proposal, the approval of which cannot be disaggregated from the carrying out of the rest of the development.

Surface Water Drainage Verification Report

6. No building on any phase (or within an agreed implementation schedule) of the development hereby permitted shall be occupied until a Verification Report, pertaining to the surface water drainage system and prepared by a suitably competent person, has been submitted to and approved by the Local Planning Authority. The Report shall demonstrate that the drainage system constructed is consistent with that which was approved. The Report shall contain information and evidence (including photographs) of details and locations of inlets, outlets and control structures; landscape plans; full as built drawings; information pertinent to the installation of those items identified on the critical drainage assets drawing; and, the submission of an operation and maintenance manual for the sustainable drainage scheme as constructed.

Reason To ensure that flood risks from development to the future users of the land and neighbouring land are minimised, together with those risks to controlled waters, property and ecological systems, and to ensure that the development as constructed is compliant with and subsequently maintained pursuant to the requirements of paragraph 182 of the National Planning Policy Framework (2024).

Prior to First Use

Contamination Verification Report

7. Prior to any part of the permitted development being occupied a verification report demonstrating the completion of works set out in the approved remediation strategy and the effectiveness of the remediation shall be submitted to, and approved in writing, by the local planning authority. The report shall include results of sampling and monitoring carried out in accordance with the approved verification plan to demonstrate that the site remediation criteria have been met.

Reason To ensure that the site does not pose any further risk to human health or the water environment by demonstrating that the requirements of the approved verification plan have been met and that remediation of the site is complete, in line with paragraph 187 of the National Planning Policy Framework (2024).

Pollution Management

8. No occupation of any part of the permitted development shall take place until a Pollution Management Plan is submitted to and approved, in writing, by the local planning authority.

Reason To prevent pollution of controlled waters and comply with paragraph 187 of the National Planning Policy Framework (2024). The plan must outline what monitoring and surveillance procedures are in place to mitigate the risks to the environment from fuel spillages at the site, and what provisions are available on site to deal with a spillage (e.g. spill kits etc.).

Lighting

9. The development hereby approved shall not be occupied until a lighting design plan has been submitted to and approved in writing by the Local Planning Authority. All external lighting will be installed in accordance with the specifications and locations set out in the plan and will be maintained thereafter.

Reason To protect residential amenities of occupiers of properties surrounding the site in accordance with Policy CS19 of the Gravesham Local Plan Core Strategy (September 2014) and Section 12 of the National Planning Policy Framework (2024).

Car Parking Spaces

10. Prior to first use of the site, the ten car parking spaces shown on 'drawing no. AR-XX-XX-XX-DR-0001-003 - Rev. D - Proposed Site Plan' shall be provided at a minimum size of 5.0m x 2.5m and permanently retained thereafter.

Reason To ensure sufficient off street car parking provision is available to serve the development, in accordance with Policy CS11 of the Gravesham Local Plan Core Strategy (September 2014) and saved Policy P3 of the Gravesham Local Plan First Review (1994).

Cycle Parking Spaces

11. Prior to first use of the site, the four cycle parking spaces shown on 'drawing no. AR-XX-XX-XX-DR-0001-003 - Rev. D - Proposed Site Plan' shall be provided and permanently retained thereafter.

Reason In order to encourage options for sustainable travel in accordance with Policy CS19 of the Gravesham Local Plan Core Strategy (September 2014) and saved Policy P3 of Gravesham Local Plan First Review (1994).

On-going Conditions

Hours of Opening

12. The site can be opened between the following hours, 06:00 to 22:00 Mondays to Fridays, 06:00 to 22:00 Saturdays, with no use on Sundays or Bank Holidays.

Reason To protect residential amenities of occupiers of properties surrounding the site in accordance with Policy CS19 of the Gravesham Local Plan Core Strategy (September 2014) and Section 12 of the National Planning Policy Framework (2024).

Deliveries (Hour Restrictions)

13. Deliveries shall only be taken at or loaded to be despatched from the site (including any loading required) only between 07:00 to 18:00 Monday to Friday, 08:00 to 13:00 Saturday, with no use on Sundays or Bank Holidays.

Reason To protect residential amenities of occupiers of properties surrounding the site in accordance with Policy CS19 of the Gravesham Local Plan Core Strategy (September 2014) and Section 12 of the National Planning Policy Framework (2024).

Hours of Use (Industrial)

14. The use, servicing or testing of machinery, including any associated processes, shall only be operated or carried out on the site between the hours of 07:00 to 18:00 Monday to Friday, 08:00 to 13:00 Saturday, with no use on Sundays or Bank Holidays, and shall not be operated at any other time.

Reason To protect residential amenities of occupiers of properties surrounding the site in accordance with Policy CS19 of the Gravesham Local Plan Core Strategy (September 2014) and Section 12 of the National Planning Policy Framework (2024).

Contamination Remediation

15. If, during development, contamination not previously identified is found to be present at the site then no further development (unless otherwise agreed in writing with the Local Planning Authority) shall be carried out until a remediation strategy detailing how this contamination will be dealt with has been submitted to and approved in writing by the Local Planning Authority. The remediation strategy shall be implemented as approved.

Reason To ensure that the development does not contribute to, or is not put at unacceptable risk from, or adversely affected by, unacceptable levels of water pollution from previously unidentified contamination sources at the development site in line with paragraph 187 of the National Planning Policy Framework (2024).

Surface Water Drainage

16. No drainage systems for the infiltration of surface water drainage into the ground is permitted other than with the express written consent of the Local Planning Authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to controlled waters. The development shall be carried out in accordance with the approved details.

Reason To ensure that the development does not contribute to, or is not put at unacceptable risk from, or adversely affected by, unacceptable levels of water pollution caused by mobilised contaminants in line with paragraph 187 of the National Planning Policy Framework (2024).

Foul Drainage

17. No foul water facilities shall be installed on the site (toilets facilities) until a foul drainage strategy, detailing how the developer intends to ensure that appropriate foul drainage is implemented with a connection to foul sewer, has been submitted to and approved by the Local Planning Authority in consultation with the water undertaker and Environment Agency. The development shall be constructed in line with the agreed detailed design and recommendations of the strategy.

Reason To ensure that the development does not contribute to, or is not put at unacceptable risk from, or adversely affected by, unacceptable levels of water pollution in line with paragraph 187 of the National Planning Policy Framework (2024).

Piling

18. Piling or any other foundation designs using penetrative methods shall not be permitted other than with the express written consent of the Local Planning Authority, which may be given for those parts of the site where it has been demonstrated by a piling risk assessment that there is no resultant unacceptable risk to groundwater. The development shall be carried out in accordance with the approved details.

Reason To ensure that the development does not contribute to, or is not put at unacceptable risk from, or adversely affected by, unacceptable levels of water pollution caused by mobilised contaminants in line with paragraph 180 of the National Planning Policy Framework (2024).

Gates

19. The gates shall remain open during all operational working hours as detailed in condition 10 (Hours of Operation).

Reason In the interests of highway safety and to avoid vehicles waiting in the road while gates are opened or closed and pursuant to Policy CS11 of the Gravesham Local Plan Core Strategy (2014) and saved policy T5 of the Gravesham Local Plan First Review (1994).

INFORMATIVES:-

1 STATEMENT OF POSITIVE AND PROACTIVE APPROACH TO DECISION-MAKING

In accordance with Article 35 (2) of the Town and Country Planning (Development Management Procedure) (England) Order 2015 (as amended), and paragraph 39 of the National Planning Policy Framework (NPPF) 2024, the Local Planning Authority has approached the assessment and determination of this application in a positive and creative way and, where appropriate, has worked pro-actively with the applicant to secure a development that is sustainable and that improves the economic, social and environmental conditions of the area, and that is in accordance with the Development Plan for the area.

2 DEVIATION FROM APPROVED PLANS

It is possible that any proposed deviation from the approved plans could be classed as a 'material' change requiring a further application/permission. In the event that any change is proposed, applicants are advised to seek advice from the Local Planning Authority [as proceeding without the necessary permissions could nullify this permission].

3 BUILDING REGULATIONS CONSENT

The granting of planning permission is independent from the granting of Building Regulations consent (which may, or may not, be required). In the event of a change to the scheme granted planning permission being required to satisfy the Building Regulations, applicants are advised to seek advice from the Local Planning Authority [as proceeding without the necessary permissions could nullify this permission]. Please contact <https://www.stgbc.org.uk/> for further information and to make an application.

4 REASON FOR IMPOSITION OF PRE-COMMENCEMENT CONDITIONS

Pursuant to Articles 35 (1) and (2) of the Town and Country Planning (Development Management Procedure) (England) Order 2015, the Local Planning Authority is satisfied that the requirements of conditions 3 and 4 (including the timing of compliance) are so fundamental to the development permitted that such details must be submitted prior to the works commencing on site. The reason for this is the development does not contribute or put at unacceptable risk of pollution, impact on the highway or residents/businesses through the construction period and have suitable surface water drainage systems installed. Due to the importance attached to these details, it is reasonable and necessary to seek full approval in advance of works commencing.

5 AGREEMENT FOR IMPOSITION OF PRE-COMMENCEMENT CONDITION(S)

In accordance with The Town and Country Planning (Pre Commencement Conditions) Regulations 2018 and paragraph 36 of the Planning Practice Guidance the Local Planning Authority has agreed in writing with the applicant on 18/03/2025 to the inclusion of pre-commencement conditions 3 and 4, and confirmed acceptance of pre-commencement conditions 5 and 6 in writing on 26/09/2025.

6 WORKS OF CONSTRUCTION

Hours of work of construction site plant, equipment and machinery, should be restricted to not earlier than 7.00 a.m. and not later than 6.00 p.m. weekdays and Saturday working should be restricted to not earlier than 8.00a.m. and not later than 1.00 p.m. No work shall be carried out on Sundays, Bank or Public Holidays.

- i. Suitable sound attenuation shall be used at all times in respect of all plant, machinery and equipment in operation on site in order to aid prevention of noise nuisance. Compliance with BS 5228: Part 1: 1984 and subsequent amendments regarding the use of equipment on site will be required in appropriate cases.
- ii. A suitable method of control shall be used in order to aid prevention of dust nuisance arising from work activities on site.
- iii. Burning of waste materials shall not be carried out on site. Such materials are to be stored in a suitable receptacle, as far from residential accommodation as reasonably practicable, pending disposal off site.
- iv. Adequate arrangements shall be made to remove all waste material from the site on a regular basis and to dispose of it at a suitably licensed waste disposal site.

7 SURFACE WATER DRAINAGE

Only clean uncontaminated water should drain to the surface water system. Roof drainage shall drain directly to the surface water system (entering after the pollution prevention measures). Appropriate pollution control methods (such as trapped gullies and interceptors) should be used for drainage from access roads and car parking areas to prevent hydrocarbons from entering the surface water system. There should be no discharge into land impacted by contamination or land previously identified as being contaminated. There should be no discharge to made ground. There must be no direct discharge to groundwater, a controlled water.

8 PILING

Piling can result in risks to groundwater quality by mobilising contamination when boring through different bedrock layers and creating preferential pathways. Thus it should be demonstrated that any proposed piling will not result in contamination of groundwater. If Piling is proposed, a Piling Risk Assessment must be submitted, written in accordance with Environment Agency guidance document "Piling and Penetrative Ground Improvement Methods on Land Affected by Contamination: Guidance on Pollution Prevention. National Groundwater & Contaminated Land Centre report NC/99/73".

9 WASTE ON-SITE

The CLAIRE Definition of Waste: Development Industry Code of Practice (DoWCoP version 2) provides operators with a framework for determining whether or not excavated material arising from site during remediation and/or land development works are waste or have ceased to be waste. Under the Code of Practice:

- o excavated materials that are recovered via a treatment operation can be re-used on-site providing they are treated to a standard such that they are fit for purpose and unlikely to cause pollution
- o treated materials can be transferred between sites as part of a hub and cluster project formally agreed with the EA
- o some naturally occurring clean material can be transferred directly between sites.

Developers should ensure that all contaminated materials are adequately characterised both chemically and physically, and that the permitting status of any proposed on site operations are clear. If in doubt, the Environment Agency should be contacted for advice at an early stage to avoid any delays.

It should be noted that re-use of historic landfill materials (including capping materials) is not covered under DoWCoP.

The Environment Agency recommends that developers should refer to:

- o The Position statement on the Definition of Waste: Development Industry Code of Practice and;
- o The Environmental regulations page on GOV.UK

10 **WASTE**

Contaminated soil that is, or must be disposed of, is waste. Therefore, its handling, transport, treatment and disposal is subject to waste management legislation, which includes:

- o Duty of Care Regulations 1991
- o Hazardous Waste (England and Wales) Regulations 2005
- o Environmental Permitting (England and Wales) Regulations 2010
- o The Waste (England and Wales) Regulations 2011

Developers should ensure that all contaminated materials are adequately characterised both chemically and physically in line with British Standard BS EN14899:2005 'Characterization of Waste - Sampling of Waste Materials - Framework for the Preparation and Application of a Sampling Plan' and that the permitting status of any proposed treatment or disposal activity is clear. If in doubt, the Environment Agency should be contacted for advice at an early stage to avoid any delays.

If the total quantity of waste material to be produced at or taken off site is hazardous waste and is 500kg or greater in any 12 month period the developer will need to register with us as a hazardous waste producer.

11 **STORAGE OF OILS, FUELS OR CHEMICALS**

Any facilities for the storage of oils, fuels or chemicals shall be provided with secondary containment that is impermeable to both the oil, fuel or chemical and water, for example a bund, details of which shall be submitted to the local planning authority for approval. The minimum volume of the secondary containment should be at least equivalent to the capacity of the tank plus 10%. If there is more than one tank in the secondary containment the capacity of the containment should be at least the capacity of the largest tank plus 10% or 25% of the total tank capacity, whichever is greatest.

All fill points, vents, gauges and sight gauge must be located within the secondary containment. The secondary containment shall have no opening used to drain the system. Associated above ground pipework should be protected from accidental damage. Below ground pipework should have no mechanical joints, except at inspection hatches and either leak detection equipment installed or regular leak checks. All fill points and tank vent pipe outlets should be detailed to discharge downwards into the bund.

12 **FLOOD RESISTANCE AND RESILIENCE**

We strongly recommend the use of flood resistance and resilience measures. Physical barriers, raised electrical fittings and special construction materials are just some of the ways you can help reduce flood damage.

To find out which measures will be effective for this development, please contact your building control department. If you'd like to find out more about reducing flood damage, visit the Flood Risk and Coastal Change pages of the planning practice guidance. Further guidance on flood resistance and resilience measures can also be found in:

Government guidance on flood resilient construction -
<https://www.gov.uk/government/publications/flood-resilient-construction-of-new-buildings>

CIRIA Code of Practice for property flood resilience -
https://www.ciria.org/Research/Projects_underway2/Code_of_Practice_and_guidance_for_property_flood_resilience_.aspx

13 FLOOD MITIGATION

Although we have no objections to the proposed development, the developer may wish to include measures to mitigate the impact of more extreme future flood events. Measures could include raising ground or finished floor levels and/or incorporating flood proofing measures. Further guidance on preparing properties for flooding can be found at <https://www.gov.uk/government/publications/prepare-your-property-for-flooding>.

14 SIGNING UP FOR FLOOD WARNINGS

The applicant/occupants should phone Floodline on 0345 988 1188 to register for a flood warning or visit <https://www.gov.uk/sign-up-for-flood-warnings>. It's a free service that provides warnings of flooding from rivers, the sea and groundwater, direct by telephone, email or text message. Anyone can sign up.

15 DESIGNING OUT CRIME

Applicants/agents should consult us as Designing out Crime Officers (DOCO's) to address CPTED and incorporate Secured by Design (SBD) as appropriate. We use details of the site, relevant crime levels/type and intelligence information to help design out the opportunity for Crime, Fear of Crime, Anti-Social Behaviour (ASB), Nuisance and Conflict.

There is a carbon cost for crime and new developments give an opportunity to address it. Using CPTED along with attaining an SBD award using SBD guidance, policies and academic research would be evidence of the applicants' efforts to design out the opportunity for crime.

We recommend SBD guidance is utilised to address designing out crime to show a clear audit trail for Designing Out Crime, Crime Prevention and Community Safety and to meet our Local Authority statutory duties under Section 17 of the Crime and Disorder Act 1998. The points below identify my recommendations for the layout and design of this scheme.

1. We recommend boundary treatments be a minimum of 2m and the installation of lockable gates to the sides of the unit to provide controlled access to the rear. These gates must be flush to the building line to optimize surveillance.
2. We recommend natural surveillance for parking areas. As a secondary layer of security, we would also recommend CCTV be installed to further monitor use. We also strongly recommend gating access roads/ parking areas to prevent nuisance parking and misuse out of hours.
3. Defined pedestrian routes to/ from the building are recommended to improve safety and avoid pedestrian and vehicle conflict.
4. Cycle storage must be well lit and with natural surveillance. We recommend the sold secure or SBD recommended products for additional security.
5. Lighting - Please note, whilst we are not qualified lighting engineers, any lighting plan should be approved by a professional lighting engineer (e.g., a Member of the ILP), particularly where a lighting condition is imposed, to help avoid conflict and light pollution. we recommend that a suitable lighting policy is installed to ensure that the units and staff have safe access to and from the units and to help deflect criminality. External lighting to conform to min standard of BS5489-1:2020.
6. CCTV to be installed, especially in areas with limited natural surveillance such as rear of the units, utility areas/ bin stores and on the access/ exit road. We also recommend cameras in the following areas to keep users safe and monitor their movements; any stairs, emergency access doors, lifts, loading/ unloading areas, car park and reception, main office/ safe. The CCTV must not infringe any lighting plan.
7. 7. We strongly recommend alarms, with an auto-dial function, be installed on all external doors, including emergency exits.
8. All external doorsets (a doorset is the door, fabrication, hinges, frame, installation, and locks) including folding or sliding to meet PAS 24: 2022 UKAS certified standard, STS 201 or LPS 2081 Security Rating B+. Please Note, PAS 24: 2012 tested for ADQ (Building Regs) has been superseded and is not suitable for this development.
9. Windows on the ground floor to meet PAS 24: 2022 UKAS certified standard, STS 204 Issue 6:2016, LPS 1175 Issue 8:2018 Security Rating 1/A1, STS 202 Issue 7:2016 Burglary Rating 1 or LPS 2081 Issue 1.1:2016 Security Rating A. Glazing to be laminated. Toughened glass alone

is not suitable for security purposes. Any curtain walling and fixings should be tested and meet BS EN 1627:2011 and/or be certified to LPS 1175: Issue 7, SR1 or STS 202: Issue 3, BR1.

10. Any Shutters should be as close to the building line as possible and must avoid the creation of a recess. Shutters must be certificated to LPS 1175: Issue 7, SR2; STS 202: Issue 3, BR2; Sold Secure Gold or PAS 68:2013

11. Bin Stores must be secure, lit and, if in an area with limited natural surveillance we recommend CCTV cameras be installed. We also strongly advise against placing this store close enough to the building that it can be used as a climbing aid into the building when closed. Please note where there is a mixed-use building, residential and commercial bins must be segregated.

12. If any buildings are to have roof access for maintenance of solar panels and lift shafts etc., we recommend that ladders/ access doors to these areas are securely locked so that members of the public are unable to access this area. We also require CCTV to cover this area in order to monitor unauthorized access.

13. New trees should help protect and enhance security without reducing the opportunity for surveillance or the effectiveness of lighting. Tall slender trees with a crown of above 2m rather than low crowned species are more suitable than "round shaped" trees with a low crown. New trees should not be planted within parking areas or too close to street lighting. Any hedges should be no higher than 1m, so that they do not obscure vulnerable areas.

14. The Access Control, Doorsets and Windows should also meet SBD Commercial 2015 advised standards. Any public access to commercial units should be restricted to one main public/visitor entrance into the building. Reception, Audio/Visual systems linking to the reception or personnel managing access control is essential for businesses that could attract crime risk (we can advise). For doorsets, we recommend minimum standards of PAS 24:2022, LPS 1175: Issue 7, SR2, STS 201 or STS 202: Issue 3, BR2. Units may require additional strengthening for some uses.

If approved, site security is required for the construction phase. There is a duty for the principle contractor "to take reasonable steps to prevent access by unauthorised persons to the construction site" under the Construction (Design and Management) Regulations 2007. The site security should incorporate plant, machinery, supplies, tools and other vehicles and be site specific to geography and site requirements.

Dated: 24 October 2025

Civic Centre
Windmill Street
Gravesend
Kent
DA12 1AU

Shazad Ghani
MPhil, MA, BA (Hons)
Head of Planning
Planning Service

NOTIFICATION TO APPLICANT

APPEALS TO THE SECRETARY OF STATE

- If you are aggrieved by the decision of your Local Planning Authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under Section 78 of the Town and Country Planning Act 1990.
- If this is a **householder application*** which has been refused and you want to appeal against your Local Planning Authority's decision then you must do so within **12 weeks of the date of this notice**.
- For all other applications, refused or permitted, if you want to appeal against your Local Planning Authority's decision then you must do so within 6 months of the date of this notice.
- **For further information regarding Appeals and to make an application please click the relevant link:**

<https://www.gov.uk/appeal-householder-planning-decision>

<https://www.gov.uk/appeal-planning-decision>

- The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.
- The Secretary of State need not consider an appeal if it seems to him that the Local Planning Authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.
- In practice, the Secretary of State does not refuse to consider appeals solely because the Local Planning Authority based their decision on a direction given by him.

***Householder applications**

These are:

- (a) applications for planning permission for development of an existing dwellinghouse, or development within the curtilage of such a dwellinghouse for any purpose incidental to the enjoyment of the dwellinghouse, or
- (b) an application for any consent, agreement or approval required by or under a planning permission, development order or local development order in relation to such development

but does **not** include –

- (i) an application for change of use;
- (ii) an application to change the number of dwellings in a building.

PURCHASE NOTICES

If either the Local Planning Authority or the Secretary of State for the Environment refuses permission to develop land or grants it subject to conditions, the owner may claim that he/she can neither put the land to a reasonably beneficial use in its existing state nor can he/she render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council (District Council, London Borough Council or Common Council of the City of London) in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.