



London River House
Royal Pier Road Gravesend
Kent DA12 2BG
United Kingdom
Tel: +44 (0)1474 562305
Fax: +44 (0)1474 562281
Web: www.pla.co.uk
E-mail: Michael.Atkins@pla.co.uk

Lisa Fisher
Planning Services
Gravesham Borough Council
Civic Centre, Windmill Street,
Gravesend
Kent DA12 1AU

13th May 2025

Port of London Authority Response (DC 423) Plan ref 20250251 Construction and operation of a 15MW Green Hydrogen Electrolyser and associated infrastructure.

Dear Lisa

Thank you for consulting the Port of London Authority (PLA) on the application in relation to the construction of a Green Hydrogen Electrolyser and associated infrastructure at Kimberly-Clark Northfleet Mill. We have now had the opportunity to review the updated information and have the following comments to make.

Firstly, we are supportive Kent County Council's comments in recommending that the precautionary mitigation detailed in section 6.4 is included within the construction management plan as well as the suggested condition on HMMP. Furthermore, any potential new or amended use of the river for extraction or outfall will require a River Works Licence with the PLA and the PLA's Statutory Consents and Compliance team should be contacted at lic.app@pla.co.uk to discuss further. We note that the Planning Statement refers to a Flood Risk Assessment; however, this document does not appear to be available to view within the submitted documents online. As the site is within Flood Zone 2, with potential to contain areas of Flood zone 3, impacts of the proposed construction and the longer term operation of the Hydrogen Electrolyser on ground water must be clearly outlined.

Our prior comments (on both the previous application – 20230906, and on this application on 10th April 2025) also referred to the proximity of the site to safeguarded wharves, as outlined in the Gravesham Local Plan Core Strategy and Policies Map (Map 1). The proposal must consider Policies CS07 Economy, Employment and Skills and Policy CS11 Transport of the Local Plan, in the context of supporting the continued use of the River Thames for commercial and passenger transport, whilst safeguarding and maximising the use of the existing commercial wharves. Although noted in the Transport Statement that deliveries of large components via the River Thames will be considered, further details of this should be reflected in associated Construction Logistics Plans (CLP) and/or Construction Environment Management Plans (CEMP). We also noted that the Planning Design and Access Statement does not consider Policy DM8 (Safeguarding Minerals

Management, Transportation Production & Waste Management Facilities) of the Kent Minerals and Waste Local Plan.

I hope these comments are of assistance.

Yours sincerely

A solid black rectangular box used to redact the signature of Maeliosa Hardy.

Maeliosa Hardy

Planning Consultant