






Proposed Ground Floor Plan -1:50  
Lower Ground Front



Proposed First Floor Plan -1:50  
Upper Ground Rear



Proposed Second Floor Plan -1:50

#### LEGEND

- 300mm exterior thick cavity wall with full width insulation block inner skin and matching rendered blockouter skin min U value 0.28W/sqmK
- 100mm block partition
- 100mm timberstud internal partition with 38db sound reduction
- Waste pipe positions
- Approx location of kitchen worktops
- Approx position of gas fired balanced flue boilers
- Mechanical vent duct positions (from cooker hood in kitchens)
- Proposed new beams to the engineers design
- Existing walls removed
- Wired smoke alarm to BS 5839-6:2019
- Wired heat detector to BS 5839-6:2019



A. Client changes RFW

| REVISIONS | DATE      | BY   | REVISION |
|-----------|-----------|------|----------|
| SCALES    | 1:50      | DESK | RFW      |
| DATE      | July 2022 |      |          |

Proposed Floor Plans

PROJECT  
Proposed Rear Extension  
62 Woolham Road  
Gravesend Kent DA11 0QF  
for: Simple Solutions Ltd

**WARD + ASSOCIATES**  
THE HOO WROTHAM ROAD  
MEOPHAM GRAVESEND KENT DA13 0HP  
T: 01474 814196 M: 07771 863940  
E: admin@wardassociates.co.uk W: www.wardassociates.co.uk  
Skype User Name: ragnarwardassociates

1522.WD.03A

A