




Notes


1. These drawings are not to be used for setting out purposes. Refer to the latest Architect's information and site measure as required.
2. Contact SD Engineers in the event of any discrepancies between findings on site and these drawings.
3. Drawing is to be read in conjunction with the SD Engineer's Specification and General Notes.
4. 3D views are indicative only and conflicting 2D information should take precedence. If in doubt contact SD Engineers prior to starting works.

Information Received


This drawing has been developed using information received up to and including:

19/03/2025

Where information provided to us is incomplete or subject to change, our drawings will need to be updated accordingly.




YARD GULLY




CLASS Z SURROUND

COMPLETE CONCRETE SURROUND




CLASS Z SURROUND

FLEXIBLE JOINTS IN CONCRETE SURROUND



CLASS S SURROUND

RECYCLED AGGREGATE GRANULAR SURROUND & BACKFILL FOR SOFT OR HARD LANDSCAPING AREAS NOT SUBJECT TO VEHICLE LOADING



CLASS S SURROUND

GRANULAR SURROUND & BACKFILL FOR AREAS SUBJECT TO VEHICLE LOADING

C01 19/03/2025 Issued for Construction HG LH CJ

Rev Date Amendment Dra Rev App

S4
Suitable for stage approval

Worcester Close
SDE2244

Proposed Drainage Details
Sheet 2

Drawn
HG

Status
Construction

Reviewed
LH

Date
19/03/2025

Approved
CJ

Scale
1:20 at A1

2244-SDE-ZZ-XX-D-C-1510 S4 C01

Project Originator Volume Level Type Rule No. Status Revision